


# 601 GALVANISED GRATED CHANNEL





The details that make the difference.....

### CLASS B GALVANISED DRAINAGE CHANNEL

SABdrain 601 combines the flexibility and durability of a polypropylene drainage channel unit whilst still being able to satisfy the strength requirements for situations that require accessibility for passenger and light commercial vehicles. This reliable Class B rated channel and grate has been designed to offer maximum versatility while delivering a lifetime of low maintenance service. Each galvanised gate comes with a 2 point security fixing, to keep it rattle free from vehicular movements and secure it from unauthorised access. Heel guard type grate, preventing heeled shoes & other objects from becoming caught in the grate. Ideal for driveway drainage, use around gardens, footpaths, schools, pathways, petrol stations, walkways, decks & outdoor areas, universities, aged care facilities, around equestrian stables, barns and much more.







Tube

|             |              |     |     |     | _   |                          | W  |     |     |     |     |     |     |      |      |
|-------------|--------------|-----|-----|-----|-----|--------------------------|----|-----|-----|-----|-----|-----|-----|------|------|
|             | SABDRAIN 601 |     |     |     |     |                          |    |     |     |     |     |     |     |      |      |
| CODE        | L            | н   | L1  | H1  | L2  | Drain<br>cm <sup>2</sup> | D1 | D2  | D3  | D4  | D5  | S1  | S2  | A    | KG   |
| DR601100100 | 100          | 100 | 150 | 150 | 145 | 800                      | 63 | 90  | 63  | 63  | 100 | 110 | 63  | 1000 | 6.4  |
| DR601100150 | 100          | 150 | 150 | 200 | 145 | 800                      | 63 | 110 | 63  | 110 | 100 | 110 | 63  | 1000 | 6.9  |
| DR601150100 | 150          | 100 | 200 | 150 | 195 | 1241                     | 63 | 90  | 63  | 63  | 150 | 110 | 63  | 1000 | 8.3  |
| DR601150150 | 150          | 150 | 200 | 200 | 195 | 1241                     | 63 | 110 | 63  | 110 | 150 | 110 | 63  | 1000 | 9.0  |
| DR601200100 | 200          | 100 | 250 | 150 | 245 | 1485                     | 63 | 90  | 63  | 63  | 200 | 160 | 110 | 1000 | 12.1 |
| DR601200150 | 200          | 150 | 250 | 200 | 245 | 1485                     | 63 | 110 | 63  | 90  | 200 | 160 | 110 | 1000 | 12.6 |
| DR601200200 | 200          | 200 | 250 | 250 | 245 | 1485                     | 63 | 160 | 110 | 90  | 200 | 160 | 110 | 1000 | 13.1 |
| DR601200250 | 200          | 250 | 250 | 300 | 245 | 1485                     | 63 | 160 | 110 | 90  | 200 | 160 | 110 | 1000 | 13.6 |
| DR601200300 | 200          | 300 | 250 | 350 | 245 | 1485                     | 63 | 160 | 110 | 90  | 200 | 160 | 110 | 1000 | 14.1 |








# 602 GALVANISED GRATED CHANNEL



### The details that make the difference.....

#### CLASS B POLYPROPYLENE DRAINAGE CHANNEL

SABDrain 602 combines the flexibility and durability of a polypropylene drainage channel unit whilst still being able to satisfy the strength requirements for situations that require accessibility for passenger and light commercial vehicles. This Class B rated channel and grate has been designed to offer maximum versatility while delivering a lifetime of low maintenance service. Each galvanised gate comes with a 2 point security fixing, to keep it rattle free from vehicular movements and secure it from unauthorised access.602 is ideal for driveway drainage, use around gardens, footpaths, petrol stations, decks & outdoor areas, around equestrian stables, barns and much more.



| SABDRAIN 601 |     |     |     |     |     |              |    |     |    |     |     |     |    |      |     |
|--------------|-----|-----|-----|-----|-----|--------------|----|-----|----|-----|-----|-----|----|------|-----|
| CODE         | L   | Н   | L1  | H1  | L2  | Drain<br>cm² | D1 | D2  | D3 | D4  | D5  | S1  | S2 | A    | KG  |
| DR602100100  | 100 | 100 | 150 | 150 | 145 | 1019         | 63 | 90  | 63 | 63  | 100 | 110 | 63 | 1000 | 7.8 |
| DR602100150  | 100 | 150 | 150 | 200 | 145 | 1019         | 63 | 110 | 63 | 110 | 100 | 110 | 63 | 1000 | 8.3 |
| DR602150100  | 150 | 100 | 200 | 150 | 195 | 1487         | 63 | 90  | 63 | 63  | 150 | 110 | 63 | 1000 | 8.9 |
| DR602150150  | 150 | 150 | 200 | 200 | 195 | 1487         | 63 | 110 | 63 | 110 | 150 | 110 | 63 | 1000 | 906 |

**Tube** 



www.sabdrain.com.au




# 603 GALVANISED GRATED CHANNEL




OFF

#### **CLASS B POLYPROPYLENE DRAINAGE CHANNEL**

SABdrain 603 series combines the flexibility and durability of a polypropylene drainage channel unit whilst still being able to satisfy the strength requirements for situations that require accessibility for passenger and light vehicles, as well as malls & areas open to slow moving heavy commercial vehicles. This rated channel and grate has been designed to offer maximum versatility while delivering a lifetime of low maintenance service. Each galvanised grate comes with a 8 point security fixing, to keep it rattle free from vehicular movements & secure it from unauthorised access, as well as steel side edges to give greater resistance to heavy loads.





Tube

|   | SABDRAIN 603 |     |     |     |     |     |                            |     |     |                            |       |
|---|--------------|-----|-----|-----|-----|-----|----------------------------|-----|-----|----------------------------|-------|
| L | CODE         | L   | Н   | L1  | H1  | L2  | Drain cm <sup>2</sup> (1M) | S1  | S2  | A                          | KG    |
|   | DR603300200  | 300 | 200 | 390 | 270 | 376 | 2882                       | 160 | 200 | 500mm (sold in 1M lengths) | 34.15 |
|   | DR603300300  | 300 | 300 | 390 | 370 | 376 | 2882                       | 160 | 200 | 500mm (sold in 1M lengths) | 35.6  |



www.sabdrain.com.au




### **SLOT DRAIN**



#### CLASS D SLOT DRAINAGE

The SABdrain slot drain is a galvanised slot grate used as a discreet drainage solution, providing an aesthetic finish to the installation area. Class D galvanised grate with a drainage capacity of 56 cm2 per linear meter. *more information available upon request* 



| SLOT DRAIN   |                       |     |    |    |     |      |    |  |  |  |  |  |
|--------------|-----------------------|-----|----|----|-----|------|----|--|--|--|--|--|
| CODE         | Drain cm <sup>2</sup> | А   | Н  | H1 | H2  | L    | F  |  |  |  |  |  |
| DR570GRID100 | 130                   | 145 | 20 | 25 | 100 | 1000 | 13 |  |  |  |  |  |
| DR570GRID150 | 130                   | 195 | 20 | 30 | 100 | 1000 | 13 |  |  |  |  |  |





www.sabdrain.com.au