



inspired by nature  
created by hand

**norstone®** new dimensions in natural stone

# our story

## global supplier of premium natural stone

Norstone® is a natural stone supplier with its headquarters in Sydney, Australia. Founded in 2003 and still growing, norstone's innovative, premium natural stone products are exported worldwide. At norstone®, the entire manufacturing process, from quarry to finished product, is managed directly at our modern production facility in South East Asia.

During the past decade norstone® has achieved its extraordinary success by working in close cooperation with our network of carefully selected global distributors and the many employees who work tirelessly to produce our beautiful products. We all share the belief to never compromise on quality and service.

As a young dynamic company we nurture a culture of passion, integrity and self-belief in all our partners and employees. We inspire them to affirm our commitment for the respect of human rights, protection of our fragile environment and the reduction of our carbon footprint.



# more powerful than imagined

*"Simply even more powerful and beautiful than imagined. It makes one feel as though the hall is part of the rocky shore in the distance. It is exactly where your product is meant to be, and will be a central part of the narrative of the building and musical experience."*

*Alan Joslin, Epstein Joslin Architects, Boston, MA*



## our products

Our natural stone products are remarkably simple and cost effective. They offer supreme ease of installation and are the ideal solution for stone wall cladding in a wide range of external and internal applications. Once installed they have a lifetime that will usually exceed the life of the building.

Norstone® natural stone products are environmentally friendly, inert and fully recyclable as well as energy efficient in production. They provide an excellent combination of high rigidity and structural strength, and also possess excellent noise reduction and thermal insulation properties.

## norstone® stone veneers

*the desire to create the most important feature wall of all - yours*

- **exclusive designs and colour options** that only norstone® can supply in 100% natural stone.
- **independent global distributor network** to assist with professional advice and guarantee supply.
- **affordability;** an entry-level price point that is superior value to the inferior generic competition.
- **flexibility;** from rock panels to interlocking basalt tiles and our new smaller scale stretched quartz tiles.
- **minimise on-site costs** with our unique rock panel system ensuring a rapid and simple installation.
- **unique corner system;** interlocking finger joints for internal and external corners (65 to 115 degrees).
- **our legendary customer support;** from a small domestic installation to a major commercial project, we are here to help every step of the way.
- **exclusive warranty system;** in conjunction with fellow market leaders Laticrete, we offer a warranty that no competitor can begin to match.

## rock panels

standard .....	4
XLX & XLV .....	6

## basalt

IL tiles.....	8
3D panels .....	9

## quartz tiles

chiselled .....	10
sculptured .....	11

## monarostone

monarostone .....	12
-------------------	----

## new products

pavers .....	14
IL rock panels .....	15
corners .....	16
radius .....	17
installation .....	18
colours .....	19



▲ ivory rock panels highlighted with recessed lighting.



**norstone®** so simple it's easy

# standard rock panels

## stacked stone veneer made simple

Norstone® is known throughout the world for its premium stacked stone panels. Our attractive and unique designs combine a natural feel with a classical elegance and an ultra-modern look which sets norstone® apart from the competition. We provide you with exciting new possibilities and ease of installation to create the design you desire

The living colours and textures of our natural stone will give your architectural projects a beautiful and impressive finish. Our rock panels are hand assembled from select pieces of precision cut quartz or sedimentary rock ensuring that each panel has a unique colour and design.



### specs

#### panel dimensions

- flat panel:** 610mm (w) x 152mm (h) x 15-35mm thick  
24"(w) x 6"(h) x 5/8-1¼" thick
- corner set:** 400/200mm (w) x 152mm (h) x 15-35mm thick  
16"/8"(w) x 6"(h) x 5/8-1¼" thick

#### weight

5.5kgs / 12lbs



## the beauty of simplicity



sahara



white



▲ ivory rock panels provide a perfect backdrop for this outdoor entertaining area.




*"The stacked stone was just what we needed to bring the sanctuary from ordinary to extraordinary. From the friendly staff at Norstone to the easy application of the product, it was such a great experience."*

*Andrew Arrowood, Pastor Valley Lighthouse, Van Nuys, CA "*




▲ charcoal rock panels stunning and contemporary for interior and exterior walls



▲ the warm hues and texture of the ochre adds glamour to this circular staircase.



**(1) Ochre**  
rustic, rugged appeal



**(2) Charcoal**  
cool subdued tones



**(3) White**  
sleek, contemporary



**(4) Ivory**  
warm, mellow hues



**(5) Sahara**  
luxurious with a hint of mystique



▼ white rock panels combined with pebbles form an attractive focal point for this façade.



ochre

◀ salt attack resistant and 3 dimensional rock panels form a stunning water feature.





**norstone<sup>®</sup> bigger, bolder & joint free**

# XLX & XLV rock panels

## supersize your stone veneer

When a larger format stone is desired our XL series delivers superbly with bigger individual stone strips per panel and a unique interlocking end system. The stepped ends on the XL series rock panels create a seamless look as the vertical joints are virtually eliminated. With fewer stone strips per panel norstone's new expansive rock panel, the XL series is the perfect composition giving the feel of a grander scale.



## specs

### panel dimensions

**flat panel:** 610mm (w) x 152mm (h) x 15-35mm thick  
 24"(w) x 6"(h) x 5/8-1 1/4" thick

**corner set:** 400/200mm (w) x 152mm (h) x 15-35mm thick  
 16"/8"(w) x 6"(h) x 5/8-1 1/4" thick

### weight

5.5kgs / 12lbs



# seamless made simple

▲ larger format ochre XLX rock panels form a functional and attractive water feature.



ochre XLV rock panels provide an attractive backdrop for this exterior feature wall.



*"I couldn't be happier! I get so many compliments on how beautiful my Norstone looks. I would do the same stone all over again! I LOVE IT!!!!"*


Carrie Spence, New York, NY



▶ charcoal XLV rock panels



**(1) Ochre**  
rustic, rugged appeal



**(2) Charcoal**  
cool subdued tones



**(3) White**  
sleek, contemporary



**(4) Ivory**  
warm, mellow hues

**(5) Sahara**  
luxurious with a hint of mystique



▲ inter-locking corners in charcoal XLV are perfect for completing this fireplace.

▼ this fireplace façade is highlighted using ochre XLV rock panels creating a stunning centre piece of the room.



ochre



◀ use lighting to beautifully highlight the XLV rock panels.



**norstone®** exclusive precision

# basalt IL tiles

# norstone

## want to stand out from the crowd?

Basalt interlocking tiles are a marriage of history, design, and technology. Basalt, a robust igneous stone, is cut into individual strips which are then mesh mounted to create a sleek, contemporary wall tile. Silky smooth to the touch, the natural honed finish of our basalt IL tile is refined and luxurious. This product is ideal for many applications, especially anywhere a dramatic statement is desired.


### two exceptional colours.

norstone's legendary craftsmanship, where ancient meets modern

Basalt IL tiles are available in two modern and contemporary colours, grey and ebony - both beloved of architects and designers and suited to any modern environment, especially as a striking contrast to minimalist white walls. These tiles are easy to install and form a seamless linear pattern with our unique interlocking system.



ebony



grey

## specs

### unit dimensions

**flat tile:** 432mm (w) x 381mm (h) or 17" (w) or 15" (h)  
**thickness:** 12mm or 1/2"  
**coverage:** 0.12m<sup>2</sup> (8.5 units per m<sup>2</sup>) or 1.3 sq ft

### weight

3.7kgs or 8lbs

# natural stone veneer made linear

▲ redefine style and luxury with ebony basalt IL tiles.



▲◀ distinctive and durable grey basalt IL tiles.

norstone® explore the 3rd dimension

# basalt 3D XLX panels

## basalt just became more beautiful & bolder

Our stunning new 3D basalt stone panels are designed in our trademark modular form for ease of installation. norstone® basalt 3D XLX panels are sophisticated and elegant and are incredibly hard wearing. They embody depth of colour, natural character and the subtle inherent sheen that designers and architects expect from premium natural stone products.

The beautiful appearance and smooth surface of the 3D basalt panel will be appropriate for both internal and external installations, including wet areas. They are finely calibrated to ensure ease of installation and rapid coverage of large areas. The 3D basalt range includes both external and internal corner modules to provide a perfect, seamless fit every time.



## aspire to a new perspective

▲ redefined elegance with ebony basalt 3D panels.

## specs

### panel dimensions


**flat panel:** 610mm (w) x 152mm (h) x 12-16mm thick  
24"(w) x 6"(h) x 1/2 - 5/8" thick

**corner set:** 400/200mm (w) x 152mm (h) x 12 - 16mm thick  
16"/8"(w) x 6"(h) x 1/2 - 5/8" thick

### weight

3.7kgs or 8lbs

▼▶ ebony 3D panels are the perfect natural element to combine with water.




**norstone<sup>®</sup>** a lightweight in a class of its own

# chiselled quartz tiles

## chic lightweight option to stacked stone

Each quartz chiselled tile has a machined surface finish that is chiselled carefully by hand to create a unique parallel ribbed pattern which has a coarse rippled effect along the surface of the tile. The size ratio of 3:1 complements the trend towards a “planked” look.

The thinner, lighter quartz tiles are the perfect solution where weight is a concern or a “flatter” surface is desired. More subtle in their finished appearance than rock panels, our quartz tiles are further testimony to the enduring beauty and simplicity of quality natural stone.



## specs

### tile dimensions

tile: 300mm (w) x 100mm (h) x 13-15mm thick  
11.85”(w) x 3.95”(h) x ½” to ⅝” thick

### weight

1.2kgs or 2.5lbs

▼ highlighting of these white chiselled tiles completes a dazzling feature wall and focal point for this commercial space.

# dare to be different

▼ cream chiselled tiles highlighted to provide a subdued ambiance.

▲ white chiselled tiles form a clean crisp look to this juice bar.

**norstone®** groomed to perfection

# sculptured quartz tiles

## parallel symmetry meets linear

These stylish quartz tiles fuse the warmth and beauty of natural stone with a contemporary design and are ideally suited for either interior or exterior applications, including wet areas. Each tile has a subtle textured finish to create an innovative and sleek linear appearance exclusive to norstone®.

Each quartz sculptured tile has a machined surface finish that is carefully split by hand in random sections to create a unique parallel ribbed pattern, this has a combed effect showing pieces of the rib removed. The size ratio of 3:1 complements the trend towards a “planked” look.



## specs

### tile dimensions

tile: 300mm (w) x 100mm (h) x 13-15mm thick  
11.85”(w) x 3.95”(h) x ½” to ⅝” thick

### weight

1.2kgs or 2.5lbs

# leading edge design

norstone® **an old favourite returns**  
**monarostone**

norstone

**the perfect alternative to create that classic architectural look of flagstone**

The colour palette for monarostone varies from red, orange, rusts, brown, gold, greys and charcoal. The rich tones combine with cement grout to create an elegance that is inspired by the architectural exteriors of affluent Californian style homes in the 1960s. It is ideal for both wall cladding and paving applications because it is low maintenance and quite affordable.

Owing to the stone's random shape and an appealing range of colours; monarostone presents many design options and can bring an immense amount of character and a unique element to your space. Breathe new life and inspiration into your projects as no two areas will be exactly the same!

Classified as a quartz or quartzite based sedimentary stone.



charcoal



ochre

**specs**

**stone dimensions**

**flagstone:** 200mm or 8" up to 450mm or 18" in size.  
 15-35mm or 5/8" to 1 1/4" thick

**weight**

60kgs per m<sup>2</sup>/  
 12lbs per Sq.Ft



▲ charcoal monarostone



*“The pleasure was mine. It is easy to install - Love your product! Look forward to continuing to work with you!”*


*Matt Muenster, The DIY Network, BATHtastic! & Bath Crashers*



▲ this striking facade wall with ochre monarostone beautifies the entry to this home.



charcoal



▼ ochre monarostone skillfully installed can be used to form impressive columns.

◀ ochre monarostone enhances the imposing blade wall to the entrance of this house

▲ charcoal monarostone transforms this wall from the ordinary to the extraordinary to form an eye-catching feature wall



# norstone® **NEW** pavers

## enhance the beauty of your landscape

Want to create individual outdoor spaces? Norstone® has the pavers to complement the beauty of your landscape. Our prestigious basalt pavers are recognised for their high quality and durability. Available in standard and custom sizes, basalt pavers are ideal for pedestrian and vehicular traffic in a range of surface finishes.

In contrast to the basalt, Monarostone pavers have a naturally rugged textured surface and come in random sizes. Monarostone is a durable paving that adds warmth to any outdoor setting or small accent areas.



## specs

### basalt paving

#### dimensions:


300 x 300mm, 600 x 300mm x 20 or 30mm thick  
12 x 12", 24 x 12" x 0.8" or 1.2" thick  
custom sizes available on request

### weight

20mm or 0.8" thick from 2.5kgs (5.5lbs)  
to 11kgs (24lbs)  
30mm or 1.2" thick from 3.4kgs (7.5lbs)  
to 14.4kgs (31.7lbs)

### monarostone paving

see previous page



# paving made simple



**norstone<sup>®</sup>**

**why compromise?**

# corners

# norstone

## the only finger-joint interlocking corner system in the world

Corners are an extremely important component to complete any project, which is why norstone<sup>®</sup> prides itself on its innovation of the only fingerjoint interlocking corner system in the world. The inter-woven fingers deliver the most seamless look possible with a very distinctive and natural corner.

## uniquely hand made to fit every corner

One section of the corner unit is longer than the other to allow an offset pattern on the adjacent walls. Because they require little skill and are so quick and easy to install they significantly reduce on-site labour costs.

## columns

Norstone<sup>®</sup> finger joint corners are perfect for covering most columns which can be achieved rapidly without using unsightly butt joints, half overlay or time-consuming mitre cuts so commonly used by others.



### unit dimensions

corner set: 400/200mm (w) x 152mm (h) x 15-35mm thick  
16"/8"(w) x 6"(h) x 5/8-1 1/4" thick

### weight

5.5kgs / 12lbs

perfection  
achieved



**norstone®**

**experience our proven stone veneer panel system**

# **hassle free installation**

## **stacked stone veneer made simple**

Stacked stone used to be difficult, time consuming and expensive. Norstone® has changed that with our proven stone veneer panel system, offering ease of installation and peace of mind with our unique warranty system.

## **ideal for almost any interior and exterior applications**

Now you can achieve superior results in a shorter time. Our rock panel system allows rapid installation and our exclusive corners significantly reduce the toil and expense involved in forming beautiful natural corners or columns.

## **the finished result is exceptional.**

Compared to building a traditional stacked stone wall, norstone® rock panels make it possible to cover a large wall in a short period of time because of their large size, superior panel system and simplicity of installation.

For all products refer to the installation guides on our websites

## **The norstone® difference**

- maintenance free with zero to low Iron content
- increased thermal and noise insulation effects
- Asbestos free - low VOCs - salt and stain resistant

*"This stuff is an absolute joy to work with - it doesn't crack or splinter when you drill it and you can precision cut it with a wet saw. There's no grouting and once it's fixed in place a nuclear bomb couldn't move it. The edges are already machine cut and the corners work like a dream."*



**corners made  
easy**



**norstone®** natural, distinctive & exquisite

# colours

# norstone

**choose from a palette of colours that is as individual as you are**

Less is more in today's busy world, so to avoid complicating your selection norstone® colours represent a palette that is conducive to enhancing your living space and highlight the different elements.


## quartz tiles



## monarostone




## basalt




## rock panels



**as unique as a fingerprint**





Distributor:

[norstoneusa.com](http://norstoneusa.com) ■ [norstone.co.uk](http://norstone.co.uk) ■ [norstone.eu](http://norstone.eu) ■ [norstone.com.au](http://norstone.com.au) ■ [norstone.ae](http://norstone.ae)