AEG

THE KITCHEN COLLECTION

PRODUCT RANGE





■250°C **?** (1) START

WELCOME TO AEG

Great taste comes down to mastering the details in each step of the cooking process. At AEG we want to equip you with the right tools to create exceptional taste experiences and to perfect your culinary vision.

CONTENTS

Mark Best, AEG Brand Ambassador	4
Cooking Demonstrations	5
Ovens	6
Cooktops	22
Rangehoods	44
Cooking Accessories	54
Specifications	60
First Klasse Care	74
AEG Garantie	75

MARK BEST AEG BRAND AMBASSADOR



Mark Best started by discovering the stoves accidentally and ended up becoming an unquestionable symbol of the new Australian Cuisine. His perseverance and his 'eternal dissatisfaction' (as he calls it himself) are the vitamins for his spectacular personal development.

"I live in a melting pot of new ideas and cultures," says Mark Best. "We do not have the shackles of culinary history; we are free to be inventive, spirited, adaptive and progressive."

"I aim to bring the extraordinary produce of Australia to a point of celebration and unnatural expression".

These words accurately describe Best's approach to cooking. Food, focussed on flavour, with technology an integral ingredient.

Best started his working life as an electrician in the gold mines of Western Australia before embarking on his culinary career at the age of 25. He commenced an apprenticeship at the Macleay Street Bistro, Potts Point, in 1990. This was the beginning of his passion for French food. It was the heyday of modern Australian cuisine – the fusion of European techniques

and ingredients with the flavours of the Asian region – and a flourishing time for Sydney's food scene. In 1995 Best won the annual award for Sydney's best young chef, The Josephine Pignolet Award.

In 1995, he opened his own restaurant, Peninsula Bistro, Balmain, which soon developed a strong local following and rave critical acclaim. During this time he decided to further his study of French Cuisine in France. In 1998 he worked at 'L'Arpége' in Paris, (under Pascal Barbot) Alain Passard's three Michelin Star Gastro Temple. He followed this with a stint at Raymond Blanc's, 'Le Manoir Aux Quatre Saisons' in Great Milton, UK.

Mark Best has won Chef of the Year in the annual Sydney Morning Herald Good Food Guide, Restaurant of the Year in Australian Gourmet Traveller, Sydney Morning Herald, Time Out magazine and in the Restaurant and Catering Association's Awards for Excellence, featured for three years running in the San Pellegrino & Restaurant Magazine's World's 50 Best commencing with the 2010 "Breakthrough Award".

Best has previously owned Marque, Pei Modern, Melbourne & Sydney, and recently opened 'Bistro' by Mark Best on the Genting Dream part of the expanding Dream Cruise lines.



COOKING DEMONSTRATIONS

At AEG, we believe our products deliver intelligent technology and exceptional performance, helping you to take anything you do in the kitchen to the next level.

We want to equip you with the right tools to create exceptional taste experiences. Why not attend one of our introductory cooking demonstrations at one of our participating retailers to see for yourself.

Our demonstrations are designed to showcase some of the many features and benefits of our product range. You will receive great tips and tricks from our knowledgeable chefs who will demonstrate a variety of recipes and answer any questions you may have.

Our demonstration program runs throughout the year at a number of national retailers. Please visit our website and enter the Inspire with AEG area for full details.







OVENS

ELEVATE YOUR COOKING WITH STEAM

Steam. It's the word on everyone's lips, from chefs to discerning home cooks. SteamPro with Steamify® is the secret ingredient that elevates your cooking to restaurant standards – you can even SousVide, with ease.

With the Steamify® function, set the desired temperature and the oven will adjust the steam level automatically. For healthier, tastier food, steam cooking brings out the richest flavours and preserves nutrition.

SOUSVIDE IN JUST FOUR STEPS

Food cooked using the vacuum-sealed, lower temperature SousVide technique is tastier and healthier. You can cook with absolute purity, sealing the aromas, taste and nutrients within the vacuum bag, then applying gentle steam heat to cook delicious dishes.

STEP 2

STEP 1

Clean, chop and season.

Seal all the flavours in the PrecisionVac SousVide vacuum sealer drawer.



STEP

Place in the oven and select the SousVide function.



STEP 4

Plate and present.



INTRODUCING MATTE BLACK

The Matte Black Collection from AEG brings a new tactile finish to the Mastery Range at a time when we are seeing matte textured finishes emerging across all interior surfaces, homeware and technology products. It brings together years of material engineering for an exclusive and premium execution, which will bring a new aesthetic to an increasingly sophisticated kitchen space.





10 AEG - The Kitchen Collection Ovens 11

STEAMPRO. MASTER EVEN THE MOST COMPLEX FLAVOURS

Now you can be sure of exactly the right amount of steam to create delicious results every time – effortlessly. The SteamPro oven features the Steamify® function to ensure the ideal taste, texture and colour when roasting meat, steaming vegetables, baking soufflés or making delicious SousVide dishes.

NEW

AEG

SPECIFICATIONS

Product dimensions (HxWxD) in mm $594 \times 594 \times 567$

Flush fit cut-out dimensions (HxWxD) in mm

600 x 600 x 580

STEAMPRO WITH STEAMIFY

BSK99733PT

60cm matte black SteamPro oven

with Command Wheel control

KEY FEATURES

- 70L nett capacity, 77L gross
- Steamify®
- 25 oven functions plus automatic assisted cooking
- SteamPro steam assisted cooking functions
- Command Wheel control with SousVide functions
- Humidity sensor
- Food Sensor
- Fully removable water drawer
- Steam cleaning functions
- SoftMotion door closing
- ThermiC°air technology
- FloodLight illumination system
- IsoFront quadruple glazed door
- Stain resistant and anti-fingerprint matte black finish

Included accessories:

- 3 OptiFlex telescopic runner sets
- 2 stainless steel wire shelves
- Wire shelf trivet
- Dripping pan
- Cake tray
- Patissoire
- Steam set



Steamify®

With the Steamify® function, set the desired temperature and the oven will adjust the steam level automatically. For healthier, tastier food. Steam cooking brings out the richest flavours and preserves nutrition.



SousVide function

The SteamPro gives you the power of the SousVide technique that professional chefs swear by for the most tasty, tender and perfectly cooked food.



Humidity sensor

The advanced humidity sensor ensures the precise amount of steam is used for every dish. It automatically adjusts temperature and moisture levels to match the type of food you're cooking for the very best taste and texture.



Food sensor

The Food Sensor allows you to accurately control the cooking process, so every dish is finished just how you want it.

STEAMCRISP. YOUR NEW STANDARD FOR FLAVOUR

Take your dishes to the next level with the SteamCrisp function. How? Traditional oven heat is enhanced by the introduction of steam. So not only do you get crisp and golden on the outside, but thanks to the gentle flavour preserving nature of steam, food is juicy, succulent and consistently tasty on the inside.

NEW

SPECIFICATION

Product dimensions (HxWxD) in mm 594 x 595 x 567

Flush fit cut-out dimensions (HxWxD) in mm

600 x 600 x 580

STEAMCRIS

BSK97733PT

60cm matte black SteamCrisp oven

with Command Wheel control

KEY FEATURES

- 70L nett capacity, 77L gross
- 19 oven functions plus automatic assisted cooking
- SteamCrisp steam assisted cooking functions
- PyroLuxe[™] self-cleaning function
- Food Sensor
- SoftMotion door closing
- ThermiC°air technology
- FloodLight illumination system
- IsoFront quadruple glazed door
- Stain resistant and anti-fingerprint matte black finish

Included accessories:

- 3 OptiFlex telescopic runner sets
- 2 chrome wire shelves
- Dripping pan
- Wire shelf trivet
- Cake tray



Pyrolytic cleaning

With one touch, dirt, grease and food residue in the oven is converted into ash that you can easily wipe off with a damp cloth.



Food sensor

The Food Sensor allows you to accurately control the cooking process, so every dish is finished just how you want it.



Command wheel

With the responsive Command Wheel and TFT display you have complete control over the cooking process, whether adjusting the time, temperature or function of your oven.

12 AEG - The Kitchen Collection
Ovens 13

STEAMBAKE. ADD STEAM FOR CRISPIER BAKING

The SteamBake function adds steam at the beginning of the baking process, keeping the dough moist on the surface to create a golden colour and tasty crust, while the heart stays soft and tender.



SPECIFICATIONS

Product dimensions (HxWxD) in mm $594 \times 594 \times 567$

Flush fit cut-out dimensions (HxWxD) in mm

600 x 600 x 580

STEAMBAKE PYROLUXE"

BPK556320M

60cm SteamBake PyroLuxe™ oven

with Touch on Glass controls

KEY FEATURES

- 71L nett capacity, 77L gross
- 10 oven functions
- SteamBake steam assisted baking function
- PyroLuxe[™] self-cleaning function
- Food Sensor
- ThermiC°air technology
- SoftMotion door closing
- IsoFront quadruple glazed door
- Anti-fingerprint stainless steel

Included accessories:

- 3 OptiFlex telescopic runner sets
- 2 chrome wire shelves
- Dripping pan
- Wire shelf trivet
- Cake tray



Soft closing door technology

Ensures that the door always shuts softly and silently, to deliver both the look and feel of premium performance.



XL baking tray

Compared with standard trays, this XL baking tray is 20% bigger, making it possible for you to prepare even larger batches of delicious baked goods.



Safe to touch plus

The outside of this oven door stays cool to the touch. It reaches a maximum of 30°C above standard room temperature, allowing for a safe interaction under all circumstances.



STEAMBAKE PYROLUXE

BPK552220M

60cm SteamBake PyroLuxe™ oven

with Push Button control

KEY FEATURES

- 71L nett capacity, 77L gross
- 10 oven functions
- SteamBake steam assisted baking function
- PyroLuxe[™] self-cleaning function
- Food Sensor
- SoftMotion door closing
- ThermiC°air technology
- IsoFront quadruple glazed door
- Fully programmable timer
- Anti-fingerprint stainless steel

Included accessories:

- 2 chrome wire shelves
- Dripping pan
- Wire shelf trivet



STEAMBAK

BEK455310M

60cm SteamBake oven

with Touch on Glass control

KEY FEATURES

- 71L nett capacity, 77L gross
- 9 oven functions
- SteamBake steam assisted baking function
- SoftMotion door closing
- ThermiC°air technology
- IsoFront quadruple glazed door
- Fully programmable timer
- Anti-fingerprint stainless steel

Included accessories:

- 2 chrome wire shelves
- Dripping pan
- Wire shelf trivet
- Cake tray

SPECIFICATIONS

Product dimensions (HxWxD) in mm

594 x 595 x 567

Flush fit cut-out dimensions (HxWxD) in mm

600 x 600 x 580

SPECIFICATIONS

Product dimensions (HxWxD) in mm

594 x 595 x 567

Flush fit cut-out dimensions (HxWxD) in mm

14 AEG - The Kitchen Collection
Ovens 15

SENSECOOK. COOK TO TASTE, EVERY TIME

By precisely measuring the core temperature of your food, the Food Sensor lets you know when your rare, medium or well done meat is ready. As well as cooking fish, casseroles and vegetables just the way you like them.

NEW



SPECIFICATIONS

Product dimensions (HxWxD) in mm $594 \times 595 \times 567$

Flush fit cut-out dimensions (HxWxD) in mm

600 x 600 x 580

SENSECOOK PYROLUXE

BPK94733PT

60cm matte black SenseCook PyroLuxe™ oven with Command Wheel control

KEY FEATURES

- 71L nett capacity, 77L gross
- 16 oven functions
- Automatic assisted cooking
- PyroLuxe[™] easy cleaning
- Food Sensor
- ThermiC°air technology
- SoftMotion door closing
- FloodLight illumination system
- IsoFront quadruple glazed door
- Fully programmable timer
- Stain resistant and anti-fingerprint matte black finish

Included accessories:

- 3 pyro proof OptiFlex telescopic runner sets
- 2 chrome wire shelves
- Wire shelf trivet
- Dripping pan
- Cake tray



Pyrolytic cleaning

With one touch, dirt, grease and food residue in the oven is converted into ash that you can easily wipe off with a damp cloth.



Food sensor

The Food Sensor allows you to accurately control the cooking process, so every dish is finished just how you want it.



Command wheel

With the responsive Command Wheel and TFT display you have complete control over the cooking process, whether adjusting the time, temperature or function of your oven.



SENSECOOK PYROLUXE

BPK742320M

60cm SenseCook PyroLuxe™ oven

with Touch on Glass control

KEY FEATURES

- 71L nett capacity, 77L gross
- 16 oven functions
- Automatic assisted cooking
- PyroLuxe[™] easy cleaning
- Food Sensor
- ThermiC°air technology
- SoftMotion door closing
- FloodLight illumination systemIsoFront quadruple glazed door
- Fully programmable timer
- Anti-fingerprint stainless steel

Included accessories:

- 3 OptiFlex telescopic runner sets
- 2 chrome wire shelves
- Wire shelf trivet
- Dripping pan
- Cake tray

SPECIFICATIONS

Product dimensions (HxWxD) in mm

594 x 595 x 567

Flush fit cut-out dimensions (HxWxD) in mm

16 AEG - The Kitchen Collection

HIGH PERFORMANCE. COMPACT SIZE

Our compact range offers powerful performance in a small design. Simply select the combination of appliances to best suit your needs and space, from combination steam or multifunction ovens, to combination and grill microwaves.

NEW

Product dimensions (HxWxD) in mm

Flush fit cut-out dimensions (HxWxD)

455 x 594 x 567

460 x 600 x 570

in mm

WITH STEAMIFY®

KSK99733PT

45cm matte black SteamPro oven with Command Wheel control

KEY FEATURES



- 43L nett capacity, 49L gross
- 25 oven functions plus automatic assisted cooking
- SousVide functionality
- Humidity sensor
- Food Sensor
- Fully removable water drawer
- Steam cleaning function
- SoftMotion door closing
- ThermiC°air technology
- MaxiView expanded visibility
- FloodLight illumination system
- IsoFront quadruple glazed door
- Stain resistant and anti-fingerprint matte black finish

Included accessories:

- Stainless steel wire shelf
- Roasting pan
- Cake tray
- Steam set



Steamify®

With the Steamify® function, set the desired temperature and the oven will adjust the steam level automatically. For healthier, tastier food. Steam cooking brings out the richest flavours and preserves nutrition.



SousVide function

The SteamPro gives you the power of the SousVide technique that professional chefs swear by for the most tasty, tender and perfectly cooked food.



Humidity sensor

The advanced humidity sensor ensures the precise amount of steam is used for every dish. It automatically adjusts temperature and moisture levels to match the type of food you're cooking for the very best taste and texture.



Food sensor

The Food Sensor allows you to accurately control the cooking process, so every dish is finished just how you want it.





COMPACT STEAMBOOST

KSK782220M

45cm SteamBoost oven

with Touch on Glass control

KEY FEATURES

- 43L nett capacity, 49L gross
- 22 oven functions plus automatic programs
- Steam cleaning function
- Food Sensor
- SoftMotion door closing
- ThermiC°air technology
- IsoFront quadruple glazed door
- Anti-fingerprint stainless steel

Included accessories

- Stainless steel wire shelf
- Cake tray
- Dripping pan
- Steam set



COMPACT COMBIQUIC

KMK96708PT

45cm matte black CombiQuick combi microwave oven

with Command Wheel control

KEY FEATURES

- 7 oven functions, 8 special functions plus automatic assisted cooking
- 1000W microwave power
- Combination microwave and fan/grill cooking
- Quick start function
- 10 power levels
- Control lock
- IsoFront triple glazed door
- Stain resistant and anti-fingerprint matte black finish

Included accessories

- Chrome wire shelf
- Cake tray
- Side racks

Product dimensions (HxWxD) in mm

455 x 595 x 567

Flush fit cut-out dimensions (HxWxD) in mm

460 x 600 x 570

SPECIFICATIONS

Product dimensions (HxWxD) in mm

455 x 594 x 567

Flush fit cut-out dimensions (HxWxD) in mm







COMPACT COMBIQUIC

KMK761000M

45cm CombiQuick combi microwave oven

with Touch on Glass control

KEY FEATURES

- 7 oven functions, 8 special functions plus automatic assisted cooking
- 1000W microwave power
- Combination microwave and fan/grill cooking
- Quick start function
- 10 power levels
- Control lock
- IsoFront quadruple glazed door
- Anti-fingerprint stainless steel

Included accessories

- Chrome wire shelf
- Cake tray
- Side racks

BUILT IN MICROWAVE

MBE2658DEM

46cm built in microwave oven

with grill

KEY FEATURES

- Fully integrated built in microwave
- Under-counter installation approved
- Cooking modes: Grill, Microwave, Microwave & Grill
- Microwave power: 900 watt, 5 levels
- Grill power: 800 watt
- Quick start function
- Automatic defrosting programs by weight
- Child lock
- Touch control
- Electronic clock with timer

Included accessories

- Grill rack
- Low grill rack

SPECIFICATION!

Product dimensions (HxWxD) in mm

455 x 594 x 567

Flush fit cut-out dimensions (HxWxD) in mm

460 x 600 x 570

SPECIFICATIONS

Product dimensions (HxWxD) in mm

459 x 596 x 404

Flush fit cut-out dimensions (HxWxD) in mm

450 x 562 x 500

20 AEG - The Kitchen Collection Ovens 21

/ Alt ()

NEW

PRECISION VAC

KDK911423T

14cm matte black vacuum sealer drawer

KEY FEATURES

- Vacuum chamber sealing system
- 5 functions; Marinating/infusing, Max vacuum, Med vacuum, Min vacuum, Seal only
- Adjustable sealing time (0-4 seconds)
- LED touch controls
- Pair with any SteamPro steam oven for SousVide cooking
- Preservation for extended food freshness
- Store and cook food in the supplied vacuum bags between 40°C and +100°C
- Stylish matte black finish

Included accessories:

- Volume reducer
- 25 SousVide bags (20x30cm)
- 25 SousVide bags (20x35cm)
- Oil filter & cap

NEW

NO.

WARMING DRAWER

KDK911424T

14cm matte black warming drawer

KEY FEATURES

- Adjustable between 30°C & 80°C
- 6 place setting
- Ideal for dough proving at 40°C
- Warms cups and glasses at 40°C
- Plate warmer at 60°C
- Food warming at 60°C to 80°C
- SoftMotion™ drawer movement
- Stylish matte black finish

NEW



NAPHING DRAWE

KDK911424M

14cm stainless steel warming drawer

KEY FEATURES

- Adjustable between 30°C & 80°C
- 6 place setting
- Ideal for dough proving at 40°C
- Warms cups and glasses at 40°C
- Plate warmer at 60°C
- Food warming at 60°C to 80°C
- SoftMotion™ drawer movement
- Black glass & anti-fingerprint stainless steel

SPECIFICATIONS

Product dimensions (HxWxD) in mm

140 x 595 x 510

Flush fit cut-out dimensions (HxWxD) in mm

141 x 600 x 570

SPECIFICATIONS

Product dimensions (HxWxD) in mm

140 x 595 x 535

Flush fit cut-out dimensions (HxWxD) in mm

141 x 600 x 570

SPECIFICATIONS

Product dimensions (HxWxD) in mm

140 x 595 x 535

Flush fit cut-out dimensions (HxWxD) in mm



90CM SENSECOOK PYROLYTIC OVEN

The perfect combination of cutting-edge design and precision, the AEG 90cm oven with PyroLuxe™ Self Cleaning will be the standout performer in your kitchen. With spacious 125L capacity, you'll be able to execute several superior dishes simultaneously. Incorporating the very best in fan technology, the SurroundCook PLUS will ensure the heat is distributed evenly to your dishes no matter where they are placed, meaning great tasting food exactly the way you want it.



ENSECOOK PYROLUXE'

BPK722910M

90cm SenseCook PyroLuxe™ oven

with Touch on Glass control

KEY FEATURES

- 116L nett capacity, 125L gross
- 19 oven functions
- PyroLuxe[™] self-cleaning cycles
- SenseCook Food Sensor
- IsoFront quadruple glazed door
- SoftMotion door movement
- SurroundCook PLUS

Included accessories:

- 2 OptiFlex telescopic runner sets
- 2 Chrome wire shelves
- 2 grill pans (half-width)
- 2 grill inserts (half-width)
- Grill pan support rack

PECIFICATIONS

Product dimensions (HxWxD) in mm

596 x 895 x 572

Flush fit cut-out dimensions (HxWxD) in mm

600 x 900 x 580



SenseCook

Use the Food Sensor to tell the oven how you want your dish cooked using just the words you would in a restaurant, rare, medium, or well done. Without even opening the oven door, everything from tender joints of meat to molten chocolate fondants are controlled and mastered.



PyroLuxe™ self cleaning

The advanced self-cleaning function takes all the effort out of keeping your oven clean. By heating the oven to 500°C, all food residue is turned to ash, which can then be simply wiped out with a damp cloth.



SurroundCook PLUS

The advanced twin fan technology ensures that every part of your dish is getting exactly the heat it needs. Evenly. Consistently. Wherever it's placed. The fans rotate in opposite directions, distributing heat evenly throughout the extra wide oven.

COOKTOPS PRECISION AND CONTROL

At AEG we believe a cooktop should look as good as it performs, which is why our new induction range has been designed with not only the latest assisted cooking technology, but also sleek and sophisticated finishes. Intuitive, precise, yet flexible and chic. Discover a new world of endless possibilities.

SENSEPRO – YOUR PERSONAL SOUS CHEF

The SensePro cooktop gets every dish right. The wireless food sensor measures the core temperature of food. Boil pasta, simmer sauce, pan-fry a steak – whether rare, medium or well-done. It's even possible to SousVide on the cooktop. It's the personal sous chef for restaurant-style results at home.

Master food. To the exact degree.

The wireless probe on the SensePro measures the core temperature of food for precise results. It works without batteries so there's no upkeep required.

One touchscreen. Intuitive communication.

The touchscreen display provides an intuitive assisted cooking experience.

SENSEFRY.
RESULTS –
WITHOUT THE
GUESSWORK

Use the intelligent touchscreen on the SenseFry induction cooktop to select the food and desired result. The technology maintains an even heat for the best frying results. No more guessing when the pan is at the right temperature. And no need to adjust the settings during cooking.

Cook Pancakes

Hob2Hood regulates the fan while you concentrate on the key moments involved in getting your dish just right. It will automatically control your cooker hood and lights. But if you'd rather adjust the fan speed, there are manual controls on the cooktop too.





By monitoring each heat zone as it cools, the OptiHeat control helps you make the most efficient use of residual heat. The OptiHeat control advises 3 levels of residual heat – whether the heat zone is still hot enough to cook with, hot enough to keep food warm, or simply hot to touch.

Pause function

When ready to resume, touch the Pause button again and all the zones return to their previous settings.

CountUp timer

Set a reminder with the minute minder, or at a glance with the CountUp timer, keeping you in control of your cooking.

AutoMax

The AutoMax function, once selected, will bring the zone up to the highest power level then reduces to the pre-selected power level for the remainder of the cooking time.

Öko timer

The Öko timer is an intelligent way for you to use resources more efficiently. When the time is pre-set on the cooking, the Öko timer turns off the cooking zone and uses residual heat in the cookware to finish cooking the dish. The result? The same high quality food for lower energy bills.

30 AEG - The Kitchen Collection Cooktops 31

SENSEPRO. PRECISION AT ITS CORE

King salmon. Duck breast. A smooth hollandaise. When there is the confidence to cook anything, there's no stopping culinary genius. The SensePro gets every dish right. The wireless probe measures the core temperature of food. It's even possible to SousVide on the cooktop. Precision and control deliver perfect taste.

NEW

Product dimensions (WxD) in mm

Cut-out dimensions (WxD) in mm

780 x 520

750 x 490

IAE84881FB

80cm SensePro induction cooktop

with 4 cooking zones and colour TFT touchscreen

KEY FEATURES

- Wireless food sensor
- SousVide function
- Fry sensor auto controlled heat levels
- Hob2Hood function
- Bridging function
- Colour TFT touchscreen
- Melting function
- OptiHeat control
- Pause function
- Minute minder
- Öko timer function
- Control lock
- Stylish bevelled edge trim



Wireless food sensor

The Food Sensor allows you to accurately control the cooking process, so every dish is finished just how you want it.



SousVide function

The SousVide cooking system provides superior control of the cooking process, delivering optimal results with the combination of induction technology and vacuum sealed food.



Hob2Hood function

Leave Hob2Hood to regulate the fan while you concentrate on the key moments involved in getting your dish just right. It will automatically control your cooker hood and lights.

NEW



IAE84851FB

80cm SenseFry induction cooktop

with 4 cooking zones and TFT touchscreen

KEY FEATURES

- Fry Sensor auto controlled heat levels
- Hob2Hood function
- PowerSlide function
- FlexiBridge 4 segment flexible cooking area
- TFT touchscreen
- Melting function
- OptiHeat control
- Pause function
- Minute minder
- Öko timer function
- Control lock
- Stylish bevelled edge trim

NEW



IAE64851FB

60cm SenseFry induction cooktop

with 4 cooking zones and TFT touchscreen

KEY FEATURES

- Fry Sensor auto controlled heat levels
- Hob2Hood function
- PowerSlide function
- FlexiBridge 4 segment flexible cooking area
- TFT touchscreen
- Melting function
- OptiHeat control
- Pause function
- Minute minder
- Öko timer function
- Control lock
- Stylish bevelled edge trim

Product dimensions (WxD) in mm

780 x 520

Cut-out dimensions (WxD) in mm

750 x 490

Product dimensions (WxD) in mm

590 x 520

Cut-out dimensions (WxD) in mm

32 AEG - The Kitchen Collection Cooktops 33



PURE FLEXIBRIDGE INDUCTION

IPE84571FB


80cm Pure FlexiBridge induction cooktop with 4 cooking zones and touch controls

KEY FEATURES

- Pure black surface when off
- Hob2Hood function
- PowerSlide function
- FlexiBridge 4 segment flexible cooking area
- Touch slide controls
- OptiHeat control
- Pause function
- Minute minder

Öko timer function

Control lock



PURF FLEXIBRIDGE INDUCTION

IPE64571FB

60cm Pure FlexiBridge induction cooktop with 4 cooking zones and touch controls

KEY FEATURES

- Pure black surface when off
- Hob2Hood function
- PowerSlide function
- FlexiBridge 4 segment flexible cooking area
- Touch slide controls
- OptiHeat control
- Pause function
- Minute minder
- Öko timer function
- Control lock



PURE OPTIZONE INDUCTION

IPE84531FB

80cm Pure OptiZone induction cooktop with 4 cooking zones and touch controls

KEY FEATURES

- Pure black surface when off
- Hob2Hood function
- Touch slide controls
- OptiHeat control
- Pause function
- Minute minderCountDown timer
- Control lock



DUDE OPTITONE INDUCTION

IPE64551FB

60cm Pure OptiZone induction cooktop with 4 cooking zones and touch controls

KEY FEATURES

- Pure black surface when off
- Bridging function
- Hob2Hood function
- Touch slide controls
- OptiHeat control
- Pause function
- Minute minder
- CountDown timer
- Control lock

SPECIFICATIONS

Product dimensions (WxD) in mm

780 x 520

Cut-out dimensions (WxD) in mm

750 x 490

SPECIFICATIONS

Product dimensions (WxD) in mm

620 x 520

Cut-out dimensions (WxD) in mm

590 x 490

SPECIFICATIONS

Product dimensions (WxD) in mm

780 x 520

Cut-out dimensions (WxD) in mm

750 x 490


PECIFICATIONS

Product dimensions (WxD) in mm

590 x 520

Cut-out dimensions (WxD) in mm





ELEXIBRIDGE INDUCTION

IKE95471FB

90cm FlexiBridge induction cooktop with 5 cooking zones and touch controls

KEY FEATURES

- XL Zone
- Hob2Hood function
- PowerSlide function
- FlexiBridge 4 segment flexible cooking area
- Touch slide controls
- OptiHeat control
- AutoMax function
- Pause function
- CountUp timer
- Öko timer functionControl lock
- Stylish bevelled edge trim



FLEXIBRIDGE INDUCTION

IKE63471FB

60cm 3 FlexiBridge induction cooktop

with 3 cooking zones and touch controls

KEY FEATURES

- XL Zone
- Hob2Hood function
- PowerSlide function
- FlexiBridge 4 segment flexible cooking area
- Touch slide controls
- OptiHeat control
- AutoMax function
- Pause function
- CountUp timer
- Öko timer function
- Control lock
- Stylish bevelled edge trim

SPECIFICATIONS

Product dimensions (WxD) in mm

910 x 520

Cut-out dimensions (WxD) in mm

880 x 490

SPECIFICATIONS

Product dimensions (WxD) in mm

590 x 520

Cut-out dimensions (WxD) in mm

COMBOHOB. UNPRECEDENTED FLEXIBILITY

ComboHob MultiBridge brings a powerful induction hob and extraction fan together into one masterful product. Kitchen design is no longer restricted as to where an overhead hood can be placed. Experience design freedom, with the convenience of a hybrid hob.

NEW

M6.

SPECIFICATIONS

Product dimensions (HxWxD) in mm $210 \times 830 \times 515$

Flush fit cut-out dimensions (WxD) in mm 805×490

OMPOHOD

IDK84454IB

83cm induction cooktop

with integrated downdraft extractor

KEY FEATURES

- Hob2Hood
- Flexible MultiBridge zone
- Direct Touch Control
- Easy clean, removable extractor
- Recirculation 630m³/hr
- Optional: duct out

Optional accessories:

- Recirculation kit - KIT0171865



Cooking and extraction in one

ComboHob is an extraction fan and powerful induction cooktop in one for functional cooktop convenience with minimal form that will optimise kitchen design options.



Automated extraction

Hob2Hood technology delivers automatic extraction. The hood's fans will adjust themselves accordingly as you turn the heat up or down on the cooktop so you can focus on cooking.




Large meals cooked at once

The MultiBridge function allows you to customize your cooktop when required. The cooktop will rise to the occasion with automatic power alignment, even heat distribution and ability to accommodate large pots and pans.



Our ceramic cooktop provides a variety of different sized cooking zones as well as extended cooking zones that allow a cooking area to precisely suit your needs.



SPECIFICATIONS

Product dimensions (WxD) in mm 576×516

Cut-out dimensions (WxD) in mm 560 x 490

FRAMIC

HK654070XB

60cm ceramic cooktop

with touch controls

KEY FEATURES

- 4 zones including 2 extended zones
- OptiHeat control
- Touch slide controls
- AutoMax function
- Stop + Go function
- CountUp timer
- Öko timer functionControl lock



OptiHeat control

By monitoring each heat zone as it cools, the OptiHeat control helps you make the most efficient use of residual heat. The OptiHeat control advises 3 levels of residual heat – whether the heat zone is still hot enough to cook with, hot enough to keep food warm, or simply hot to touch.



AutoMax

The AutoMax function, once selected, will bring the zone up to the highest power level then reduces to the pre-selected power level for the remainder of the cooking time.



Stop + Go

When ready to resume, touch the Pause button again and all the zones return to their previous settings.



IGNITE. SEAR. CONTROL. WITH ABSOLUTE ASSURANCE

From king prawns to rib-eye, nothing compares to searing over a naked flame. Now, precise control over the intensity of that flame ensures perfectly charred flavours.

The advanced TouchSure cooktop comes with a range of reassuring safety features that provide absolute confidence in – and absolute command over – gas cooking. It's a traditional method harnessed with our responsive technology.



Hob2Hood

Leave Hob2Hood to regulate the fan while you concentrate on the key moments involved in getting your dish just right. It will automatically control your cooker hood and lights.



Child lock

The child safety lock ensures that the hob cannot be accidentally switched on or its settings changed.



Electronic touch controls

Full control of the flame. The hob's electronic touch controls react quickly and accurately to your every touch.



Pause function

With Pause cooking function, one touch pauses the cooking process - and restarts it again with the same settings.



Display lights

LED indicators tell you if a burner is turned on or off. Residual heat indicators show whether pan supports are still hot after use.



Timer

With the convenient timer, you can set your cooking time. Once it's over, the hob will switch itself off.



42 AEG - The Kitchen Collection Cooktops 43

PERFECT IN STYLE AND PERFORMANCE

The gas on black ceramic cooktop offers maximum stability for when cooking gets fast and furious. The striking grid design of trivets also offers you perfection in style and performance.



SPECIFICATIONS

Product dimensions (WxD) in mm 890×510

Flush fit cut-out dimensions (WxD) in mm

850 x 490

ELECTRONIC GAS ON CERAMIC GLASS

HVB954501B

90cm 5 burner ceramic

with Touch on Glass control

KEY FEATURES

- Electronic touch control
- Hob2Hood function
- Gas stop auto shut off
- Residual heat indicators
- 5 burners including wok burner
- 13.4MJ triple crown wok burner High quality vitreous ceramic glass
- Cast iron pan support
- Automatic integrated ignition
- Flame failure safety device
- Wok support trivet
- Child lock
- Timer
- Natural gas only



Hob2Hood function

Leave Hob2Hood to regulate the fan while you concentrate on the key moments involved in getting your dish just right. It will automatically control your cooker hood and lights.



Electronic touch control

Full control of the flame. The hob's electronic touch controls react quickly and accurately to your every touch.



Multi-ring triple crown wok burner

Our gas cooktops have a multi-ring high output wok burner to produce high heat for wok cooking, intense frying or fast heating.



Easy clean ceramic glass

With the seamless surface, our cooktops can be cleaned effortlessly.



GAS ON CERAMIC GLASS

HG975550VB

90cm 5 burner ceramic

KEY FEATURES

- 5 burners including wok burner
- 14.4MJ triple crown wok burner
- High quality vitreous ceramic glass
- Cast iron pan support
- Automatic integrated ignition
- Flame failure safety device
- Wok support trivet



GAS ON CERAMIC GLAS

HG674550VB

60cm 4 burner ceramic

KEY FEATURES

- 4 burners including wok burner
- 13.7MJ triple crown wok burner
- High quality vitreous ceramic glass
- Cast iron pan support
- Automatic integrated ignition
- Flame failure safety device
- Wok support trivet

SPECIFICATION!

Product dimensions (WxD) in mm

880 x 510

Flush fit cut-out dimensions (WxD) in mm

830 x 480

SPECIFICATIONS

Product dimensions (WxD) in mm

590 x 520

Flush fit cut-out dimensions (WxD) in mm

44 AEG - The Kitchen Collection

COMPLETE AND INSTANT CONTROL

Our gas cooktops are designed to be the focal point of your kitchen, providing instant and intense heat for precise control.

NEW

Product dimensions (WxD) in mm

Flush fit cut-out dimensions (WxD)


890 x 510

860 x 480

HG90FXB

90cm stainless steel gas cooktop

KEY FEATURES



- 5 burners including wok burner
- Powerful 22MJ dual valve wok burner
- High quality stainless steel
- Cast iron pan support
- Automatic integrated ignition
- Flame failure safety device
- Laser etched graphics

Included accessories

- Wok support trivet
- Mini trivet



22MJ wok burner

Powerful triple ring dual valve wok burner, providing exceptional levels of control – from as low as 1MJ for simmering, or up to 22MJ of intense heat, perfect for searing, or stir fry cooking. (Selected models only)



Cast iron pan support

Robust cast-iron pan supports take on the toughest kitchen conditions while complementing the cooktop's sleek aesthetic.



Electronic ignition

Speedy electronic ignition gets you on the hobs in a flash, with a touch of the stylish stainless-steel controls.



ZAS

HG75FXA

75cm stainless steel gas cooktop

KEY FEATURES

- 5 burners including wok burner
- Powerful 18MJ dual valve wok burner
- High quality stainless steel
- Cast iron pan support
- Automatic integrated ignition
- Flame failure safety device
- Laser etched graphics

Included accessories

- Wok support trivet
- Mini trivet



SAS

HG60FXA

60cm stainless steel gas cooktop

KEY FEATURES

- 4 burners including wok burner
- 10.3MJ wok burner
- High quality stainless steel
- Cast iron pan support
- Automatic integrated ignition
- Flame failure safety device
- Laser etched graphics

Included accessories

- Wok support trivet
- Mini trivet

SPECIFICATION

Product dimensions (WxD) in mm

750 x 510

Cut-out dimensions (WxD) in mm

720 x 480

SPECIFICATIONS

Product dimensions (WxD) in mm

590 x 510

Cut-out dimensions (WxD) in mm

RANGEHOODS POWERFUL EXTRACTION, WITHOUT COMPROMISE

AEG





MOTORBIKE



HAIRDRYER



TALKING



SilenceTech Wall and vertical canopy rangehoods





WHISPER



Aligned across our range, your choice of hood will integrate seamlessly with any of our hob models. Our top line models feature our signature flow line for design harmony, together with a sophisticated white LED display

AEG's intelligent Hob2Hood system ensures your hood works in harmony with your hob as soon as you turn your hob on. A wireless signal is sent to the hood, switching on the lights and providing optimal visibility

LED indicators

Hob2Hood

8000 Series

The 8000 series of AEG

rangehoods have been designed

to take form and function to the

next level. With a stylish dark

stainless steel finish to elevate

your kitchen's style to powerfully

extracting vapours, odours and

quietly and efficiently, thanks to

the high quality offboard motor

and stainless-steel baffle filters.

grease, air flow is optimized,

Our new premium and modern user interface combines super responsive capacitive touch buttons along with back lit LED indicators. The LED turns red to show which feature is on or off.

SilenceTech

Our cooking environments need to be fresh, bright and peaceful,

enriching the time that we spend there. We use advanced technology to ensure that the design and build of our rangehoods give you the

optimum combination of high-end design and powerful functionality.

Our more advanced hood technology reduces the noise level down to the lowest possible number of decibels so that you can cook powerfully and enjoy the experience without loud sounds from the appliance.

Dimmable LED

Provides the possibility to adjust the intensity of the light according to your needs, creating a nice ambient illumination in your kitchen

Seamless

on layered glass and metal.



Run it for less energy

Our hoods are highly efficient, using less energy than standard models. This is thanks to our brushless Inverter Technology. In fact, when you run the hood at its maximum speed, you'll use up to 40% less energy than standard models. And at the minimum setting, it needs less energy to run than a standard light bulb.

STRIKING DESIGN. SEAMLESSLY MATCHED WITH YOUR KITCHEN

Our range of hoods with matte black or dark stainless steel finish make a striking aesthetic statement without intrusion, quietly and efficiently clearing the air while you prepare your meals. They are seamlessly designed to complement our new dark range of appliances, offering a sophisticated product suite to enhance your kitchen.



50 AEG - The Kitchen Collection

NEW

NEW





INTEGRATED

DGE7660HB

60cm integrated hood with Hob2Hood control

KEY FEATURES

- Dark stainless steel finish
- Hob2Hood control
- Durable, dishwasher safe baffle filter
- Intensive 680m³/hr extraction rate
- Long lasting, LED lighting

NTEGRATED

DGE7960HB

90cm integrated hood with Hob2Hood control

KEY FEATURES

- Dark stainless steel finish
- Hob2Hood control
- Durable, dishwasher safe baffle filter
- Intensive 710m³/hr extraction rate
- Long lasting, LED lighting



CANOPY HOOD

DBE7980HB

90cm canopy hood with Hob2Hood control

KEY FEATURES

- Dark stainless steel finish
- Hob2Hood control
- Breeze Function
- Durable, dishwasher safe baffle filter
- Intensive 700m³/hr extraction rate
- Long lasting, LED lighting



NEW

WALL HOOF

DVK6981HB

90cm inclined SilenceTech wall canopy hood

with Hob2Hood control

KEY FEATURES

- Stain resistant and anti-fingerprint matte black finish
- Hob2Hood control
- Breeze Function
- Dishwasher safe filters
- Intensive 750m³/hr extraction rate
- Long lasting, dimmable LED lighting

SPECIFICATIONS

Product dimensions (HxWxD) in mm

520 x 300 x 329

Flush fit cut-out dimensions (HxW) in mm

492 x 259 x 329

SPECIFICATIONS

Product dimensions (HxWxD) in mm

860 x 300 x 329

Flush fit cut-out dimensions (HxW) in mm

832 x 259 x 329

SPECIFICATIONS

Product dimensions (HxWxD) in mm

898 x 470 x 950

Flue extension cover - AR990FD

SPECIFICATIONS


Product dimensions (HxWxD) in mm

915-1260 x 896 x 456

52 AEG - The Kitchen Collection
Rangehoods 53







CELLING HOOD

DCE5280HM

120cm ceiling hood with Hob2Hood control

KEY FEATURES

- High quality stainless steel
- Dimmable LED lighting
- Hob2Hood control
- Remote control
- Dishwasher safe filters
- Indicator for cleaning filters
- Recirculating option
- 710m³/hr extraction (intensive)
- Remote control

NTEGRATED

DGE5160HM

99cm integrated rangehood with Hob2Hood control

KEY FEATURES

- Suitable for 80-90cm cooktops
- LED lighting
- Hob2Hood control
- Remote control
- Indicator for cleaning filters
- Dishwasher safe filters
- Recirculating option
- 660m³/hr extraction (intensive)

NTEGRATE

DGE5860HM

77cm integrated rangehood with Hob2Hood control

KEY FEATURES

- Suitable for 70-80cm cooktops
- LED lighting
- Hob2Hood control
- Remote control
- Indicator for cleaning filters
- Dishwasher safe filters
- Recirculating option
- 660m³/hr extraction (intensive)

INTEGRALE

DGE5660HM

54cm integrated rangehood with Hob2Hood control

KEY FEATURES

- Suitable for 60–70cm cooktops
- LED lighting
- Hob2Hood control
- Remote control
- Indicator for cleaning filters
- Dishwasher safe filters
- Recirculating option
- 660m³/hr extraction (intensive)

SPECIFICATIONS

Product dimensions (HxWxD) in mm

1200 x 500 x 311

Flush fit cut-out dimensions (HxW) in mm

1172 x 470

SPECIFICATIONS

Product dimensions (HxWxD) in mm

330 x 990 x 300

Flush fit cut-out dimensions (HxW) in mm

273 x 944

SPECIFICATIONS

Product dimensions (HxWxD) in mm

330 x 770 x 300

Flush fit cut-out dimensions (HxW) in mm


273 x 723

SPECIFICATIONS

Product dimensions (HxWxD) in mm

330 x 540 x 300

Flush fit cut-out dimensions (HxW) in mm





TELESCOPIO

DPB5950M/A

90cm telescopic rangehood with slide switch control

KEY FEATURES

- Suitable for 70–90cm cooktops
- LED lighting
- Dishwasher safe filters
- Recirculating option
- 605m³/hr extraction

TELESCOPIC

DPB5650M/A

60cm telescopic rangehood with slide and switch control

KEY FEATURES

- Suitable for 60–70cm cooktops
- LED lighting
- Dishwasher safe filters
- Recirculating option
- 605m³/hr extraction

SPECIFICATIONS

Product dimensions (HxWxD) in mm $396 \times 898 \times 300$

SPECIFICATIONS

Product dimensions (HxWxD) in mm $396 \times 598 \times 300$



COOKING ACCESSORIES

Nothing should get in the way of achieving beautiful results. That's why at AEG we're dedicated to creating products that help you pursue your passion – your own personal definition of perfection. It's this thinking that lies at the heart of everything we do... it shapes our design and our advancements in technology.

For over a hundred years we have been using cutting edge designers to help create and develop our products, recognising that good design doesn't just make things easy on the eye, but easier for you to use.

Our cooking accessories are designed to complement your AEG kitchen appliances with the same level of precision you would expect from any other AEG products.





Professional grade

The magnetic steel outer gives superior induction and is simple to clean. At the core is three layer aluminium – an excellent heat conductor. While the outside is crafted from hygienic, easy clean, corrosionresistant 18/10 stainless steel.





The materials are all perfectly combined to ensure heat spreads evenly over the entire surface, including the sides, for uniform, controlled cooking. Even when heated quickly, no deflection or deformation will occur (long life quality).



MASTERY COLLECTION

At AEG, we were the first to launch the induction cooking hob over 25 years ago.

Today, we bring you our high performance cookware range of premium pots and pans that is designed to harness the power and precision of induction technology to bring out the best in any ingredient.



Designed to fit perfectly on AEG induction cooktops

The Mastery Collection's multi-layer construction is optimised for AEG induction cooktops and also fits all other cooktop surfaces. Fully flat bases optimise adherence to the cooktop surface and maximise heat transfer efficiency.





Dishwasher and Oven Safe

The entire Mastery Collection is dishwasher safe. All Mastery Collection pots and pans are oven safe up to 250°C.



COOKWARE

A9KLLC0

Roasting pot with lid

Use the Roasting pot to cook everything from casseroles to roast meats, vegetables and poultry. Sear and simmer on the cooktop, then finish off the dish in the oven in one convenient process. Keeping all the rich flavours inside the Roasting pot for a juicy tender result every time.




COOKWARE

A9KL1

Teppanyaki grill plate

Create authentic Asian recipes with the Teppanyaki grill plate. Garlic chicken with sizzling vegetables, chilli and soy-glazed beef or king prawns. Balance textures and fine-tune tastes.




COOKWARE

A9HL33

Plancha grill

Get perfect outdoor grill taste all year round with the Plancha grill. Steaks grilled to perfection, asparagus with the right crunch and seared scallops with the crispy crust and a tender inside.



Product dimensions (HxWxD) in mm $280 \times 390 \times 80$

SPECIFICATIONS

Product dimensions (HxWxD) in mm $255 \times 470 \times 25$

PECIFICATIONS

Product dimensions (HxWxD) in mm $220 \times 432 \times 18$



COOKWARE

ACC133

4.5L low casserole

The 4.5 litre low casserole is a multipurpose pan. Braise, poach and simmer to create flavourful and exciting dishes.

SPECIFICATIONS

Diameter in mm



COOKWARE

ACC134

3L saucepan

The 3 litre saucepan is the superior choice of pan for making sauces, poaching, boiling as well as deglazing, caramelising and stewing.

SPECIFICATIONS

Diameter in mm

220



COOKWAR

ACC135

2L conical sauté

The 2 litre conical sauté is the optimal pan for sautéing and flash-frying small portions of meat and vegetables to achieve crisp yet moist results.



COOKWAR

ACC136

Frying pan

This frying pan's short sides and base are designed to deliver rapid, uniform heating and gentle, consistent moisture reduction.

SPECIFICATIONS

Diameter in mm

220

Diameter in mm

280

60 AEG - The Kitchen Collection Accessories 61



OVEN ACCESSORIES

ACC098

Steam set

Ensures excess moisture is drawn away from your culinary creations whilst they are cooking in a steam environment.




OVEN ACCESSORIES

ACC119

Grill pan

A custom enamelled grill pan helps to maintain the highest standards of cleanliness within your oven.




OVEN ACCESSORIES

ACC118

Baking tray

Designed to maximise your AEG oven to ensure an even bake.



OVEN ACCESSORIES

ACC113

Drip pan non-stick

Sits perfectly in your AEG oven to catch unwanted liquid from your food, keeping your oven clean and looking new.



OVEN ACCESSORIES

A C C 112

Baking tray non-stick

Designed exclusively for your oven.



OVEN ACCESSORIES

A C C 117

Tray patisserie

The perforated tray ensures a smooth and constant heat penetrates the base of pastry and dough creating a satisfying and noteworthy crust.




OVEN ACCESSORIES

ACC116

Grill grid

Maximise your oven with additional oven grill shelves.



OVEN ACCESSORIES

ACC111

Grill pan insert non-stick

Designed to work with your grill pan and ACC119.



OVEN ACCESSORIES

ACC125

SousVide vacuum sealer bags (50)

The professional grade AEG SousVide bags have been specially designed to withstand the temperatures associated with SousVide cooking. Bags can withstand up to 120°C for 30 minutes whilst cooking.

62 AEG - The Kitchen Collection Specifications 63

BUILT-IN OVEN SPECIFICATIONS

	BSK99733PT	BSK97733PT	
Product name	60cm SteamPro oven with Steamify®	60cm SteamCrisp Pyroluxe™ oven	60cm SteamBake PyroLuxe™ oven
Features			
Control type	Command wheel	Command wheel	Knob + Touch on glass
Finish	Matte Black	Matte Black	Stainless steel
Oven capacity (gross)	77	77	77
Oven capacity (usable)	70	70	71
Number of functions	25	19	10
Recipe programmes	Yes	Yes	
Fully programmable timer	Yes	Yes	Yes
Food sensor	Yes	Yes	Yes
SoftMotion door closing	Yes	Yes	Yes
ThermiC°air	Yes	Yes	Yes
SurroundCook	Yes	Yes	
FloodLight system	Yes	Yes	
Cleaning	Yes, Steam	Yes, Pyrolytic	Yes, Pyrolytic
Humidity sensor	Yes	Yes	
SousVide functions	Yes		
Steam function	Yes, SteamPro	Yes, SteamCrisp	Baking only
Removable water drawer	Yes	Yes	
Layers of glass in oven door			
Product dimensions			
Height (mm)	594	594	594
Width (mm)	595	595	
Depth (mm)	567	567	567
Flush fit cut-out dimensions			
Height (mm)	600	600	600
Width (mm)	600	600	600
Depth (mm)	580	580	580
Performance			
Connected load (kW)	3.5	3.5	3.2
Minimum fuse rating (A)	16	16	16
Type of connection	Hardwired	Hardwired	Hardwired
Energy efficiency class	A	A	A+
Lights (W)	65	65	40
Included accessories			
OptiFlex telescopic runner sets	3	3	3
Dripping/grill pan	1	1	1
Wire shelf trivet/insert			
Cake tray	1	1	1
Patissoire			
Steam set	1		
Chrome wire shelves		2	2
Stainless wire shelves	2		

BPK552220M	BEK455310 M	BPK94733PT	BPK742320M	BPK722910M
60cm SteamBake PyroLuxe™ oven	60cm SteamBake oven	60cm SenseCook PyroLuxe™ oven	60cm SenseCook PyroLuxe™ oven	90cm SenseCook PyroLuxe™ oven
Knob + Touch on glass	Knob + Touch on glass	Command wheel	Touch on glass	Touch on glass
Stainless steel	Stainless steel	Matte black	Stainless steel	Stainless steel
77	77	77	77	125
71	71	70	71	116
10		17	16	19
		Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes		Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	
		Yes		Yes
		Yes	Yes	
Yes, Pyrolytic		Yes, Pyrolytic	Yes, Pyrolytic	Yes, Pyrolytic
Baking only	Baking only			
4	3	4	4	4
594	594	594	594 	596
595	595 	595 	595 	895
567	567 	567 	567 	572
		/00	(00	400
600	600	600	600	600
600	600	600	600	900
580	580	580	580	580
7.2	70	7.5	7.5	
3.2	3.2	3.5	3.5	5.5
16	16	16	16	24
Hardwired .	Hardwired	Hardwired	Hardwired	Hardwired
A+	A	A	A+	В
40	40	65	65	50
		3, pyro proof	3	2
				2 x 1/2 width
				2 x 1/2 width
			1	
2	2	2	2	2

64 AEG - The Kitchen Collection

Specifications 65

COMPACT OVEN SPECIFICATIONS

Product name	45cm SteamPro compact oven with Steamify®	45cm SteamBoost oven
Features		
Control type	Command wheel	Touch on glass
Finish	Matte black	Stainless steel
Oven capacity (gross)	51	51
Oven capacity (gross) Oven capacity (usable)	43	43
Number of functions		22
Recipe programmes	Yes	Yes
Fully programmable timer	Yes	Yes
Food sensor	Yes	Yes
SoftMotion soft close door	Yes	163
ThermiC°air	Yes	Yes
FloodLight system	Yes	Yes
Cleaning	Yes, Steam	Yes, Steam
Humidity sensor	Yes	103, 3104111
SousVide functions	Yes	
Steam function	Yes, SteamPro	Yes, SteamBoost
Removable water drawer	Yes	Yes
Layers of glass in oven door	4	4
Product dimensions		
Height (mm)	 455	
Width (mm)	594	595
Depth (mm)	 567	567
Flush fit cut-out dimensions		
Height (mm)	460	460
Width (mm)	600	600
Depth (mm)	570	570
Performance		
Connected load (kW)	3	3
Minimum fuse rating (A)	16	16
Type of connection	Hardwired	Hardwired
Energy efficiency class	A++	A+
Lights (W)	40	40
Included accessories		
OptiFlex telescopic runner sets		
Dripping pan		
Wire shelf trivet		
Cake tray		
Steam set		
Chrome wire shelves		
Stainless wire shelves		1

MICROWAVE OVEN SPECIFICATIONS

Product name	45cm CombiQuick combi microwave	45cm CombiQuick combi microwave	46cm built in microwave with grill
Features			
SurroundCook	Yes		
Microwave oven with convection and grill	Yes	Yes	
Microwave oven and grill	Yes		Yes
Number of microwave functions	7	8	4
Number of programmed functions	23	19	3
Automatic weight defrost program	Yes	Yes	Yes
Automatic weight cook program	Yes	Yes	Yes
Favourite setting			Yes, plus 3 favourite settings
Quick start function	Yes	Yes	Yes
Function control lock	Yes	Yes	Yes
Active display control	Yes	Yes	
One touch cook program		Yes	Yes
Touch controls	Command wheel	Touch control	Electronic touch control
Timer	Programmable	Programmable	Digital, programmable
Isofront quadruple glazed door		Yes	
Under-counter installation			Yes
Product dimensions			
Height (mm)	455	455	459
Width (mm)	594	594	596
Depth (mm)	567	567	404
Flush fit cut-out dimensions	1 / / /		1/
Height (mm)	460	460	460
Width (mm)	600	600	600
Depth (mm)	570	570	520
Turntable diameter (mm)	325	325	325
Performance			
Connection load (kW)	3	3	1.4
Type of connection	Supply cord	Supply cord	10 amp plug
Microwave power (W)	1000	1000	900
0.11	1900	1900	800
Grill power (W)	1700	1700	

66 AEG - The Kitchen Collection Specifications 67

VACUUM SEALER DRAWER SPECIFICATIONS

PRODUCT CODE	KDK911423T
Product name	PrecisionVac vacuum sealer drawer
Features	
Controls	LED touch controls
Finish	Matte black
Handle	None. Push - Pull
Number of functions	5
Functions	Marinating/infusing, Max vacuum, Med vacuum, Min vacuum, Sealing time
Product dimensions	
Height (mm)	140
Width (mm)	540 (drawer front 595mm wide)
Depth (mm)	510
Flush fit cut-out dimensions	
Height (mm)	295
Width (mm)	600
Depth (mm)	570
Performance	
Connected load (kW)	11
Maximum current rating (A)	10
Type of connection	Cord only (no plug)
Included accessories	
20 x 30cm bags (pack of 25)	Yes
20 x 35cm bags (pack of 25)	Yes
Volume reducer	Yes

Before first useEnsure product is oiled using supplied oil kit and conditioning programme is performed.

Temperature of food
Ensure liquids are cold before sealing in the vacuum bag as hot liquids may boil over in the chamber at low pressure.

WARMING DRAWER SPECIFICATIONS

PRODUCT CODE	K D K 911424T	KDK911424M
Product name	14cm matte black warming drawer	14cm warming drawer
Features		
Finish	Matte black	Stainless steel
Handle	None. Push-Pull	None. Push-Pull
Place settings	6	6
Features		
Defrosting (30°C)	Yes	Yes
Dough proving (30°C)	Yes	Yes
Yogurt fermentation (30°C)	Yes	Yes
Cups & glass warming (45°C)	Yes	Yes
Plate warming (60°C)	Yes	Yes
Food warming (70°C)	Yes	Yes
Food reheating (80°C)	Yes	Yes
Heating element	Yes	Yes
Fan air circulation	Yes	Yes
Rotary knob control	Yes	Yes
Variable temperature control (30°C to 80°C)	Yes	Yes
On/Off LED	Yes	Yes
Anti-slip mat	Yes	Yes
SoftMotion™ drawer movement	Yes	Yes
Product dimensions		
Height (mm)	140	140
Width (mm)	595	595
Depth (mm)	535	535
Flush fit cut-out dimensions		
Height (mm)	141	141
Width (mm)	600	600
Depth (mm)	570	570
Performance		
Connection load (W)	430	430
Power connection	Cord	Cord
Suitable to complement any 45cm compact oven or 60cm oven listed in this brochure	Yes	Yes

68 AEG - The Kitchen Collection Specifications 69

INDUCTION COOKTOP SPECIFICATIONS

PRODUCT CODE				
Product name	80cm SensePro	80cm SenseFry	60cm SenseFry	80cm Pure FlexiBridge
Features				
Number of cooking zones	4	4	4	4
Control type	Colour TFT Touchscreen	TFT Touchscreen	TFT Touchscreen	Touch control
Position of controls	Front right	Front right	Front right	Front right
Pure black surface				Yes
Bevelled edge	Yes	Yes	Yes	
Grey glass surface	Yes	Yes	Yes	
Hob2Hood capable	Yes	Yes	Yes	Yes
Food sensor (Wireless)	Yes			
SousVide function	Yes			
Fry sensor (auto control heat)	Yes	Yes	Yes	
Bridging function	Yes	Yes, FlexiBridge	Yes, FlexiBridge	Yes, FlexiBridge
PowerSlide function		Yes	Yes	Yes
Melting (low even temp)	Yes	Yes	Yes	163
XL Zone				
AutoMax automatic heat up				
OptiHeat Control	Yes	 Yes	Yes	Yes
Pause function	Yes	Yes	Yes	Yes
Öko timer	Yes	Yes	Yes	Yes
CountUp timer				
Minute minder	Yes	Yes	Yes	Yes
Function control lock	Yes	Yes	Yes	Yes
Product dimensions				
Width (mm)	780	780	590	780
Depth (mm)	520	520	520	520
Cut-out dimensions				
Width (mm)			 560	 750
Depth (mm)	490	490	490	490
Performance				
Connection load (kW)		7.4	7.4	7.4
Type of connection	Hardwired	——————————————————————————————————————	Hardwired	Hardwired
Left front zone	Bridge	FlexiBridge	FlexiBridge	FlexiBridge
Left front (W)	2300	2300	2300	2300
Left front boost (W)	3200	3200	3200	3200
Left rear zone	Bridge	FlexiBridge	FlexiBridge	FlexiBridge
Left rear (W)	2300	2300	2300	2300
Left rear boost (W)	3200	3200	3200	3200
Centre front zone	Single			
Centre front (W)	1400			
Centre front boost (W)	2500			
Centre rear zone		Single		Single
Centre rear (W)		 2300		2300
Centre rear boost (W)		3200		3200
Right front zone		Single	Single	Single
Right front (W)		1800	1400	1800
Right front boost (W)		2800	2500	2800
Right rear zone	Single		Single	
Right rear (W)	2300		1800	
Right rear boost (W)	3600		2800	
Rigili Teal Doosi (W)	3000		2000	

60cm Pure FlexiBridge	80cm Pure 4 zone	60cm Pure 4 zone	90cm FlexiBridge 5 zone	60cm FlexiBridge 3 zone
4	4	4	5	3
Touch control	Touch control	Touch control	Touch control	Touch control
Front right	Front centre	Front centre	Front right	Front right
Yes	Yes	Yes		
			Yes	Yes
Yes	Yes	Yes	 Yes	 Yes
 Yes, FlexiBridge		Yes	Yes, FlexiBridge	 Yes, FlexiBridge
Yes			Yes	Yes
			Yes	Yes
			Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
			Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
620	780	590	910	590
520	520	520	520	520
		 560		 560
490	490	490	490	490
	7.4	7.4	7.4	7.4
——————————————————————————————————————	Hardwired	Hardwired	Hardwired	——————————————————————————————————————
FlexiBridge	Single	Bridge	FlexiBridge	FlexiBridge
	2300	2300	2300	
 3200		3200	3200	
FlexiBridge	Single	Bridge	FlexiBridge	FlexiBridge
	2300	2300	2300	2300
3200	3200	3200	3200	3200
			XL Zone	
			1800	
			3700	
Single	Single	Single	Single	XL Zone
 1400	2300	2300	1400	1800
	3200	3200	2500	3700
Single	Single	Single	Single	
1800	2300	2300	2300	
	3200			

70 AEG - The Kitchen Collection
Specifications 71

COMBOHOB SPECIFICATIONS

PRODUCT CODE	IDK844541B	
Product name	ComboHob Induction with downdraft extractor	
Features		
Туре	Induction	
Control type	DirekTouch Slider	
Display	LED	
Bridge Function	Yes	
Auto Heat Up	Yes	
Stop & Go	Yes	
Power Levels	9 + PowerBoost	
Residual heat indicator	Yes	
Timer	Yes	
Pan Sensor	Yes	
Child Lock	Yes	
Zone specification		
Cooking zones	4	
Front Left (kW)	2.1 - 3.0	
Front Left diameter (mm)	110	Ī
Rear Left (kW)	2.1 - 3.0	
Rear Left (diameter (mm)	110	
Front Right (kW)	2.1 - 3.0	
Front Right diameter (mm)	110	
Rear Right (kW)	2.1 - 3.0	Ī
Rear Right diameter (mm)	110	ĺ
Bridge dimension (mm)	380 x 210	ĺ
Bridge diameter (mm)	230	ĺ
Product dimensions		Ī
Hob2Hood	Yes	Ī
Timer	Yes	Ī
Filter type	Aluminium mesh	Ī
Filter indicator	Yes	
Grease filters	1	
Motor type	Brushless	
Recirculation max, m3/h	650	Ī
Recirc sound power min, dB(A)	42	
Product dimensions		Ī
Height (mm)	210	
Width (mm)	830	
Depth (mm)	515	
Flush fit cut-out dimensions		
Width (mm)	805	
Depth (mm)	490	
Performance		
Connection load (kW)	7.4	
Frequency	50Hz - 60Hz	
Voltage	220-240 V	
		1

CERAMIC COOKTOP SPECIFICATIONS

PRODUCT CODE	
Product name	60cm Ceramic
Features	
Number of cooking zones	
Position of controls	Front
Control type	Touch control
AutoMax automatic heat up	Yes
3 level residual heat indication	Yes
Stop + Go	Yes
Öko timer	Yes
CountUp timer	Yes
Minute minder	Yes
Function safety lock	Yes
Product dimensions	
Width (mm)	 576
Depth (mm)	516
Cut-out dimensions	
Width (mm)	560
Depth (mm)	490
Performance	
Connection load (kW)	
Type of connection	Hardwired
Zone Specification	
Left front zone	Triple
Left front (W)	2300
Left front boost (W)	
Left rear zone	 Single
Left rear (W)	1200
Left rear boost (W)	
Right front zone	Single
Right front (W)	1200
Right front boost (W)	
Right rear zone	Dual
Right rear (W)	2400
Right rear boost (W)	

GAS ON GLASS SPECIFICATIONS

Product name	90cm Gas on ceramic glass	60cm Gas on ceramic glass	90cm Gas on ceramic glass with Touch on Glass contro
Features			
Number of cooking zones	5	4	5
Knob ignition	Yes	Yes	
Rotary controls	Yes	Yes	
Electronic touch slide controls			Yes
Position of controls	Front left	Front right	Front centre
Flame failure safety device	Yes	Yes	Yes
Cast iron pan supports	Yes	Yes	Yes
Hob2Hood capable		<u> </u>	Yes
Flame light indicator			Yes
Stop & Go			Yes
Timer			Yes
Child lock			Yes
Auto shut off			Yes
Residual heat indicators		<u> </u>	Yes
Product dimensions (mm)		<u> </u>	
Width	880	590	890
Depth	510	520	510
Flush fit cut-out dimensions			
Width	830	560	850
Depth	480	480	490
Performance			
Maximum current rating (A)	10	10	10
Type of connection	Plug and lead	Plug and lead	Plug and lead
Maximum gas rating (NG)	37.8	31.0	37.8
Zone specification			
Left front zone	Triple crown wok	Triple crown wok	Semi-rapid
Left front MJ/h	14.4	13.7	6.8
Left rear zone		Semi-rapid	Semi-rapid
Left rear MJ/h		6.8	6.8
Centre front zone	Simmer		Triple crown wok
Centre front MJ/h	3.6		13.4
Centre rear zone	Semi-rapid		
Centre rear MJ/h	6.8		
Right front zone	Semi-rapid	Simmer	Auxiliary
Right front MJ/h	6.8	3.6	4
Right rear zone	Semi-rapid	Semi-rapid	Semi-rapid
Right rear MJ/h	6.8	6.8	6.8
Included accessories			
Wok support trivet	Yes	Yes	Yes

72 AEG - The Kitchen Collection Specifications 73

GAS COOKTOP SPECIFICATIONS

Product name 90cm Gas 75cm Gas 40cm Gas Features Features 75cm Gas 4 Number of cooking zones 5 4 4 Knob Ignition Yes Yes Yes Yes Rohary controls Front Front Front Front Passition of controls Front Front Front Front Flame failure safety device Yes					
Number of cooking zones 5 4 Knob ignition Yes Yes Yes Rotary controls Yes Yes Yes Position of controls Front Front Front Flame failure safery device Yes Yes Yes Cast iron pan supports Yes Yes Yes Product dimensions Width (mm) 890 750 990 Depth (mm) 800 720 590 Cursul dimensions Width (mm) 800 720 590 Depth (mm) 800 720 590 Depth (mm) 800 720 590 Performance Width (mm) 800 480 480 480 Performance Washin (mm) 90 405 203 203 Maximum current rating (A) 10 10 10 10 <th colsp<="" th=""><th>Product name</th><th>90cm Gas</th><th>75cm Gas</th><th>60cm Gas</th></th>	<th>Product name</th> <th>90cm Gas</th> <th>75cm Gas</th> <th>60cm Gas</th>	Product name	90cm Gas	75cm Gas	60cm Gas
Knob Ignition Yes Yes Yes Rotary controls Yes Yes Yes Position of controls Front Front Front Elame failure safety device Yes Yes Yes Cast iron pan supports Yes Yes Yes Product dimensions Width (mm) 890 750 590 Depth (mm) 510 510 510 Cur-out dimensions *** *** *** Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance **** Performance Performance **** Plug and lead Plug and lead Plug and lead Maximum qurrent rating (A) 10 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Plug and lead Maximum gas rating (Al/In NG) 405 405 263 3 Maximum gas rating (Al/In NG) 405 <td>Features</td> <td></td> <td></td> <td></td>	Features				
Rotary controls Yes Yes Yes Position of controls Front Front Front Flame failure safety device Yes Yes Yes Cast Iron pan supports Yes Yes Yes Product dimensions Width (mm) 890 790 590 Depth (mm) 510 510 510 Cut-out dimensions Width (mm) 860 720 560 Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance Total Control (mm) 180 480 480 Performance Total Connection Plug and lead Plug and lead Plug and lead Maximum power rating (MW) 112 112 73 73 Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear MJ/h 3 34	Number of cooking zones	5	5	4	
Position of controls	Knob ignition	Yes	Yes	Yes	
Flame failure safety device Yes Yes Yes Yes Yes	Rotary controls	Yes	Yes	Yes	
Cast Iron pan supports Yes Yes Yes Product dimensions Width (mm) 890 750 590 Depth (mm) 510 510 510 510 Cut-out dimensions Width (mm) 860 720 560 560 Depth (mm) 480 480 480 480 Performance Maximum current rating (A) 10 10 10 10 Type of connection Plug and lead Plug and lead	Position of controls	Front	Front	Front	
Product dimensions Width (mm) 890 750 590 Depth (mm) 510 510 510 Cut-out dimensions Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance Use of connection 90 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 26.3 Maximum power rating (AW) 112 73 12 Tomes specification Left front zone Dual valve work Dual valve work Double ring work Left frear zone Eeft frear Zone Semi-rapid 5emi-rapid Left rear MJ/h 34 34 103 103 Centre front Zone Semi-rapid Semi-rapid Semi-rapid Centre rear zone Semi-rapid Semi-rapid Simmer Centre rear Zone Semi-rapid Semi-rapid Semi-rapid Rig	Flame failure safety device	Yes	Yes	Yes	
Width (mm) 890 750 590 Depth (mm) 510 510 510 Cut-out dimensions Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance Waximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 26.3 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve work Double ring work Left front MJ/h 22 18 103 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 34 34 Centre front zone Simmer Simmer Centre rear zone Semi-rapid Semi-rapid Simmer Centre rear XJ/h 63 63 36 Right front Zone Semi-rapid Semi-rapid <td>Cast iron pan supports</td> <td>Yes</td> <td>Yes</td> <td>Yes</td>	Cast iron pan supports	Yes	Yes	Yes	
Depth (mm) 510 510 510 Cut-out dimensions Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance Maximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gast rating (MJ/h NG) 405 405 26.5 Maximum power rating (kW) 112 112 7.3 Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear and MJ/h 5 5emi-rapid 5emi-rapid Centre front front zone Simmer 5emi-rapid 5emi-rapid Centre rear zone 5emi-rapid 5emi-rapid 5emi-rapid Right front Zone 5emi-rapid 5emi-rapid 5emi-rapid Right front MJ/h 6.3 6.3 3.6 Right rear MJ/h 6.3	Product dimensions				
Cut-out dimensions Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance Maximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 263 3 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 103 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 34 34 Centre front front MJ/h 34 34 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 63 63 Right front Zone Semi-rapid Semi-rapid Right front MJ/h 63 63 36 Right rear XJ/h 63 63 63	Width (mm)	890	750	590	
Width (mm) 860 720 560 Depth (mm) 480 480 480 Performance Welformance Maximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 26.3 Maximum power rating (kW) 112 112 73 Zone specification Use of trong value work Dual valve work Double ring work Left front Zone Dual valve work Dual valve work Double ring work Left rear Zone Semi-rapid Semi-rapid Semi-rapid Left rear MJ/h 34 34 Semi-rapid Semi-rapid Centre rear Zone Semi-rapid Semi-rapid Simmer Right front Zone Semi-rapid Semi-rapid Semi-rapid Right front MJ/h 6.3 6.3 3.6 Right rear Zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3	Depth (mm)	510	510	510	
Depth (mm) 480 480 480 Performance Maximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 26.3 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear Zone Semi-rapid Semi-rapid Left rear MJ/h 34 34 Centre front to zone Simmer Simmer Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front XJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Yes Yes	Cut-out dimensions				
Performance Maximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 263 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 34 34 Centre front xone Simmer Simmer Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 63 63 Right front xone Semi-rapid Semi-rapid Right front MJ/h 63 63 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear xDJ/h 63 63 63 Right rear xDJ/h 63 63 63 Right rear xDJ/h	Width (mm)	860	720	560	
Maximum current rating (A) 10 10 10 Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 26.3 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left front Zone Simmer Centre front Zone Simmer Centre front Zone Semi-rapid Semi-rapid Semi-rapid Semi-rapid	Depth (mm)	480	480	480	
Type of connection Plug and lead Plug and lead Plug and lead Maximum gas rating (MJ/h NG) 405 405 26.3 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid 63 Centre front zone Simmer Simmer Centre front MJ/h 3.4 34 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Right front MJ/h 6.3 6.3 3.6 Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear XJ/h 6.3 6.3 6.3 Included accessories	Performance				
Maximum gas rating (MJ/h NG) 405 405 263 Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 3.4 3.4 Centre front MJ/h 3.4 3.4 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Right front MJ/h 6.3 6.3 Right rear zone Semi-rapid Semi-rapid Right rear zone Semi-rapid Semi-rapid Right rear zone Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 Right rear MJ/h 6.3<	Maximum current rating (A)	10	10	10	
Maximum power rating (kW) 112 112 73 Zone specification Left front zone Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 6.3 Semi-rapid Centre front MJ/h 34 34 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Right rear MJ/h 6.3 6.3 6.3 Included accessories Yes Yes	Type of connection	Plug and lead	Plug and lead	Plug and lead	
Zone specification Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 6.3 Semi-rapid Centre front xone Simmer Simmer Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Maximum gas rating (MJ/h NG)	40.5	40.5	26.3	
Left front zone Dual valve wok Dual valve wok Double ring wok Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 63 63 Centre front zone Simmer Simmer Centre front MJ/h 34 34 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 63 63 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 63 63 36 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 63 63 63 Included accessories Wok support trivet Yes Yes	Maximum power rating (kW)	11.2	11.2	7.3	
Left front MJ/h 22 18 10.3 Left rear zone Semi-rapid Semi-rapid Left rear MJ/h 6.3 6.3 Centre front zone Simmer Simmer Centre front MJ/h 3.4 3.4 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Zone specification				
Left rear zone Semi-rapid Left rear MJ/h 6.3 Centre front zone Simmer Centre front MJ/h 3.4 Centre rear zone Semi-rapid Centre rear MJ/h 6.3 Right front zone Semi-rapid Right front MJ/h 6.3 Right rear zone Semi-rapid Right rear MJ/h 6.3 Right rear MJ/h 6.3 Right rear MJ/h 6.3 Mok support trivet Yes	Left front zone	Dual valve wok	Dual valve wok	Double ring wok	
Left rear MJ/h Simmer Simmer Centre front MJ/h 34 34 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 63 63 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 63 63 36 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 63 63 63 Included accessories Wok support trivet Yes Yes	Left front MJ/h	22	18	10.3	
Centre front zone Simmer Simmer Centre front MJ/h 3.4 3.4 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Left rear zone			Semi-rapid	
Centre front MJ/h 34 34 Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 63 63 Right front zone Semi-rapid Semi-rapid Right front MJ/h 63 63 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 63 63 63 Included accessories Wok support trivet Yes Yes	Left rear MJ/h			6.3	
Centre rear zone Semi-rapid Semi-rapid Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Centre front zone	Simmer	Simmer		
Centre rear MJ/h 6.3 6.3 Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Centre front MJ/h	3.4	3.4		
Right front zone Semi-rapid Semi-rapid Simmer Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Centre rear zone	Semi-rapid	Semi-rapid		
Right front MJ/h 6.3 6.3 3.6 Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Centre rear MJ/h	6.3	6.3		
Right rear zone Semi-rapid Semi-rapid Semi-rapid Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Right front zone	Semi-rapid	Semi-rapid	Simmer	
Right rear MJ/h 6.3 6.3 6.3 Included accessories Wok support trivet Yes Yes	Right front MJ/h	6.3	6.3	3.6	
Included accessories Wok support trivet Yes Yes	Right rear zone	Semi-rapid	Semi-rapid	Semi-rapid	
Wok support trivet Yes Yes	Right rear MJ/h	6.3	6.3	6.3	
	Included accessories				
Ministrust Von Yer	Wok support trivet	Yes	Yes		
Yes Yes Yes	Mini trivet	Yes	Yes	Yes	

RANGEHOOD SPECIFICATIONS

PRODUCT CODE	DGE7660HB	DGE7960HB	DBE7980HB	DVK6981HB
Product name	60cm Integrated rangehood	90cm Integrated rangehood	90cm Canopy rangehood	90cm Inclined wall canopy rangehood
Features				
Finish	Dark stainless steel	Dark stainless steel	Dark stainless steel	Matte black
Control type	Electronic push button	Electronic push button	Touch	
Remote control				
Hob2Hood capable	Yes	Yes	Yes	Yes
SilenceTech				Yes
Breeze mode			Yes	Yes
Lights	LED	LED	LED	LED
Dimmer-controlled lights				Yes
Grease filter	Stainless steel baffle	Stainless steel baffle	Stainless steel baffle	Aluminium mesh
Number of filters	1	2	3	2
Dishwasher safe	Yes	Yes	Yes	Yes
Number of fan motors	1	1	1	1
Number of fans speeds	3 + Power boost	3 + Power boost	3 + Power boost	3 + 2 Power boost
Ducted maximum air flow - intense (m³/h)	680m³/hr	710m³/hr	700m³/hr	750m³/hr
Noise (Low) dB(A)	53	50	52	43
Product dimensions	/ // //	/ // //		
Height (mm)	329	329	930-1210	915-1260
Width (mm)	520	520	898	896
Depth (mm)	300	300	460	456
Cut-out dimensions				
Height (mm)	329	329		
Width (mm)	492	492		
Depth (mm)	259	259		
Minimum installation height				
Gas cooktop (mm)	650	650	650	500
Electric/induction cooktop (mm)	600	600	600	500
Other				
Top or rear duct hole	Тор	Тор	Тор	Тор
Recirculation option	Yes	Yes	Yes	Yes

74 AEG - The Kitchen Collection Specifications 75

RANGEHOOD SPECIFICATIONS

PRODUCT CODE	DCE5280HM	DGE5160HM	DGE5860HM
Product name	120cm Ceiling hood	99cm Integrated	77cm Integrated
Features			
Control type	Electronic push button	Electronic push button	Electronic push button
Remote control	Yes	Yes	Yes
Hob2Hood capable	Yes	Yes	Yes
Silence Tech			
Breeze mode			
Lights	4	4	2
Dimmer-controlled lights	Yes	Yes	
Micromesh filters	4	2	2
Number of fan motors	1	1	1
Number of fans speeds	3 (+1 intensive)	3 (+1 intensive)	3 (+1 intensive)
Charcoal filter included	Yes	Yes	Yes
Auto off	Yes	Yes	Yes
Ducted maximum air flow - intensive (m³/h)	710	660	660
Noise (High) ducted dB(A)	70	67	67
Product dimensions			
Height (mm)	311	330	330
Width (mm)	1200	990	770
Depth (mm)	500	300	300
Minimum installation height			
Gas cooktop (mm)	650	650	650
Electric/induction cooktop (mm)	600	600	600
Other			
Top or rear duct hole	Rear	Тор	Тор
Recirculation option	Yes	Yes	Yes

Product name	54cm Integrated	90cm Telescopic	60cm Telescopic
Features			
Control type	Electronic push button	Push button & slide	Push button & slide
Remote control	Yes		
Hob2Hood capable	Yes		
SilenceTech			
Breeze mode	/ / / /		
Lights	2	2	2
Dimmer-controlled lights			
Micromesh filters	2	4	2
Number of fan motors	1	1	1
Number of fans speeds	3 (+1 intensive)	3	3
Charcoal filter included	Yes	Yes	Yes
Auto off	Yes		
Ducted maximum air flow - intensive (m³/h)	660	603	603
Noise (High) ducted dB(A)	67	66	66
Product dimensions			
Height (mm)	330	40	40
Width (mm)	540	898	598
Depth (mm)	300	280	280
Minimum installation height			
Gas cooktop (mm)	650	650	650
Electric/induction cooktop (mm)	600	600	600
Other			/ / /
Top or rear duct hole	Тор	Тор	Тор
Recirculation option	Yes	Yes	Yes

FIRST KLASSE CARE

Perfection is an AEG hallmark, backed by our complete commitment to customer care.

We employ a dedicated service team ready to ensure your experience with AEG is nothing short of exceptional – every single day.

Same-day service[†]

Our technicians are trained to the highest AEG factory standards, ready to be deployed at a moment's notice. Call from any major capital city before midday (12 noon EST) and we'll be with you that very same day, if requested. Call after midday and we guarantee next day service with the option to accept a preferred two-hour window between 8am - 5pm, Monday to Friday within the metropolitan area.*

Dedicated contact centre

Like our products, our dedicated First Klasse Care Team offers unrivalled dependability. Contact us for delivery enquiries, installation details, product features, service updates and even product dimensions.

Prompt delivery & connection

At AEG, dedication to service begins long before your new appliance arrives. You can expect a call ten days prior to delivery to arrange the most suitable date, followed by a confirmation call on the eve of delivery to arrange the most suitable time of day.

Our professional AEG service personnel deliver to all major capital cities, and will unpack your new appliance and connect it to existing utilities. We'll also remove your old appliance and all packaging to be environmentally recycled.

AEG 5 YEAR GARANTIE

Perfection is nothing without endurance.

Every AEG product in our collection is equipped with our assurance that it will perform beyond expectations. It's called AEG – Garantie. You will receive a 5 year warranty with every product. Of course, it's nothing less than you'd expect of high performing German standards.

We Garantie it.

Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 5 years, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

- † Brisbane, Sydney, Melbourne, Adelaide, Perth.
- Delivery to regional and country areas can be arranged with your local retail store.
 Only basic installations of laundry and dishwashers supported, limited to a 10 amp plug and lead. Please consult your relevant tradesperson.







Electrolux Home Products Australia

telephone:

1300 363 664

fax:

1800 350 067

customercare@aegaustralia.com.au

aeg.com/au

AEG. We are part of the Electrolux Family. To add a touch of professional inspiration to your home, visit electrolux.com.au



