



## Altaché™ Series

PRODUCT FACT SHEET

Sustainable Style

COMMERCIAL | RESIDENTIAL | CUSTOM

[cedarsales.com.au](https://cedarsales.com.au)

# Streamlined, contemporary and sophisticated

Turn heads with Altaché™ Series from Cedar Sales. This superbly stylish profile combines sleek lines of anodised aluminium with the natural warmth of Western Red Cedar. Make a modern statement with Altaché™.

## FEATURES + BENEFITS

- Concealed fixings for uninterrupted lines through aluminium extrusion.
- Excellent weather protection for external use.
- A stylish and futuristic look.
- Versatile and durable.
- Colour choice of clear or black anodised aluminium.
- Available in three cover widths.
- Aluminium is included in the cover stated.
- Improved Green Star rating with FSC®, PEFC™ and GreenTag<sup>Cert™</sup> GreenRate Level A Certification.

## IDEAL USES

- External cladding
- Internal panelling
- Receptions
- Feature walls
- Bulk heads
- Garage doors
- Fences



AC 147 X 18 [BLACK ALUMINIUM]



AC 197 X 18 [CLEAR ALUMINIUM]



AF 142 X 10 [CLEAR ALUMINIUM]

## PROFILES AVAILABLE

**ALTACHÉ™ CLAD** (18MM ALUMINIUM FACE EXPOSURE WHEN JOINED. WITH OPTIONAL CLEAR OR BLACK ANODISED ALUMINIUM.)



AC 97 X 18



AC 147 X 18



AC 197 X 18

**ALTACHÉ™ FINELINE** (8MM ALUMINIUM FACE EXPOSURE WHEN JOINED. WITH OPTIONAL CLEAR OR BLACK ANODISED ALUMINIUM.)



AF 92 X 10



AF 142 X 10

**ALTACHÉ™ PANEL** (18MM ALUMINIUM FACE EXPOSURE WHEN JOINED. WITH OPTIONAL CLEAR OR BLACK ANODISED ALUMINIUM.)



AP 97 X 12



AP 147 X 12

## INSTALLATION

For secret nail fixing and in-depth installation instructions, visit [cedarsales.com.au](http://cedarsales.com.au)





## ALTACHÉ SIZES + SPECS

PROFILE CODE	COVER (MM)	THICKNESS (MM)	CEILING SPANS (MM)	FACE EXPOSURES		ORDER OPTIONS
				TIMBER (MM)	ALUMINIUM (MM)	
<b>ALTACHÉ™ CLAD</b>						
AC 97 X 18	97	18	600	79	18	
AC 147 X 18	147	18	600	129	18	
AC 197 X 18	197	18	600	179	18	
<b>ALTACHÉ™ FINELINE</b>						
AF 92 X 10	92	10	600	84	8	
AF 142 X 10	142	10	600	134	8	
<b>ALTACHÉ™ PANEL</b>						
AP 97 X 12	97	12	600	79	18	
AP 147 X 12	147	12	600	129	18	

Suitable for external cladding

Cutek® pre-oiling available [clear penetrating external oil]

Custom orders available – contact Cedar Sales rep



**Fire protection**



**Acoustic properties**



**Unrivalled sustainability**



**Thermal protection**



**Structure & performance**

## Choose Cedar Sales and specify with confidence

Cedar Sales is committed to quality and performance you can count on. Our genuine architectural timber innovations are proven to perform where it matters most. As part of our commitment to provide market-leading quality and integrity, Cedar Sales welcomes third-party testing and certification across fire, acoustics, structural performance and sustainability.



### HEAD OFFICE

Manufacturing Plant | National Distribution Warehouse

150 Toongarra Road  
Wulkuraka QLD 4305  
PO Box 5043, Brassall QLD 4305

P 1800 156 455  
F +61 (07) 3281 4322  
E [info@cedarsales.com.au](mailto:info@cedarsales.com.au)

### MELBOURNE OFFICE

Showroom | Warehouse

82 Wedgewood Road  
Hallam VIC 3803  
P +61 (03) 9708 6572

[cedarsales.com.au](http://cedarsales.com.au)

**Sustainable Style**

COMMERCIAL | RESIDENTIAL | CUSTOM

Photographs, images and drawings used herein are for illustration purposes only. Colours, grades and finishes on actual products may vary. All timber products will vary from samples. Being a natural product, expect sheen, tonal and colour variation and natural features including knots, grains and grain impressions. We recommend viewing all products prior to installation. Cedar Sales' is unable to offer any specific performance warranties for its products because of the wide variation in applications possible. These variables include but are not limited to; situation, design and structure, aspect and differing exposure to the weather. For more details, visit [cedarsales.com.au/terms-and-condition-of-trade](http://cedarsales.com.au/terms-and-condition-of-trade).